

## SMOKE LEAK DETECTOR

Reference : AC 0410



**Item name** SMOKE LEAK DETECTOR

**EAN code** 3700461400940

**Text** Thanks to its compact size, this machine is easily transportable, allowing intervention in the entire workshop.  
Its integrated compressor eliminates the need for an air supply.  
Compatible with the majority of the fleet, connected to the battery terminals, it allows quick diagnosis of the vehicle's closed circuits (turbo, exhaust, cooling, etc.).

To detect micro leaks on the circuits:

- vacuum
- exhaust
- turbo insulation
- oil pan
- admission
- cooling

This device considerably reduces leak detection time by diffusing an opaque, fine and instantly identifiable smoke on even the smallest leaks.  
Without any risk for the user and the vehicle.

**Product highlight** Integrated compressor  
Leak rate reading

**Specifications** Specifications:

- power supply: 12V
- output pressure: 1.2 bar for turbo system / 0.05 bar for exhaust system
- flow rate: 8L/min
- smoke control
- mode of operation: air only or smoke
- control manometer
- oil capacity: 50ml
- mineral oil (included)
- supplied with its accessories
- test fluid 250 ml = 35 hours of use
- weight: 6Kg
- dimensions: 260x210x230mm

## Contents

Contents:

- main unit
- accessory case
- adapter cone
- power cable
- smoke distribution pipe
- funnel
- universal adjustable intake bag
- bag replacement rubber
- test fluid (250 ml)
- oil filler cap adapter (for most BMW vehicles)
- smoke diffuser
- EVAP system accessory kit (fuel vapour recovery system)
- set of blanking plugs

## Warranty period

2 years

## Tension

12V

## More

Use oiler

## Product weight

6.00 kg

## Video link

<https://www.youtube.com/watch?v=PXWDq3sS5Mg>

## Capacity (ml)

50.00 ml

## Capacity (l)

0.05 l

## Tariff code

Tariff Normal (TN)

## Warranty Procedure

DIAGNOSTIC

## Customer benefit

Low-pressure management protects components.  
Product quality for regular/intensive use.



TN

CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to  
12h30 and from 14h to 17h30  
(16h30 on Friday)