

## EXHAUST GAS ON ROLLER 10m Ø100mm 400V

Reference : AG 0008



Item name	EXHAUST GAS ON ROLLER 10m Ø100mm 400V
Bar code	3701555300979
Introduction	Specially designed for exhaust gas suction for LV workshops.
Text	<ul> <li>This mechanical spring reel complete with exhaust blower can be installed on the ceiling or wall, always maintaining the same performance. The equipment allows you to work in a healthy environment without inhalation of exhaust gases and in compliance with work safety standards.</li> <li>Hose: anti-crushing structure, maintains flexibility over time thanks to the robust nylon spiral with a very tight pitch. This feature prevents the hose from stretching during pulling and from collapsing in high stress situations. Its smooth design on the inside guarantees maximum suction efficiency in m3.</li> <li>Directly coupled electric motor, statically and dynamically balanced impeller to limit friction, vibration and reduce energy consumption. Inlet and outlet flanges are sized for optimum suction capacity. Support feet for wall or ceiling mounting are included.</li> </ul>
Specifications	<ul> <li>Specifications:</li> <li>galvanized steel structure</li> <li>epoxy paint (grey RAL 7040)</li> <li>10m of pipe Ø100mm (-40° to +200°) in high temperature EPDM vulcanized fabric on both sides</li> <li>delivery: Ø 125mm</li> <li>power supply: 400 Tri</li> <li>motor power: 0.5cv, 0.37KW, 50HZ, 1.0A</li> </ul>

	<ul> <li>max flow: 450m3/h</li> <li>noise level: 66dB</li> <li>thermal protection switch</li> <li>reel equipped with a pawl, an end stop with anti-skid system</li> <li>exhaust nozzle equipped with an anti-intrusion grid, a vice grip, a gas suction shutter and an access for the opacimeter probe</li> <li>weight: 43kg</li> <li>Many options available, please consult us.</li> </ul>
Warranty period	2 years
Vehicle type	LV
Decibel level	66.00 dB
Voltage	400V
Cable length	1.00 m
Product weight (kg)	43.00 kg
Diameter (mm)	100.00 mm
Air flow rate	450
Tariff code	Tariff Equipment (TE)
Type of gas extraction system	Fixed
DPF compatible	NO
Hose length (m)	10m
Hose diameter (mm) 100mm	
Max. hose temperature (°C)	200°C
Customer benefit	Connection of the hose to the reel by an ABS gooseneck, guarantees no deformation, no loss of suction efficiency.



\*Public price Exl. Tax : €3,195.00

\*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS 83, chemin de la CROUZA 73800 CHIGNIN France Tel : +33 (0) 4 79 72 62 22 Fax : Monday to Friday - From 8 to 12h30 and from 14h to 17h30 (16h30 on Friday)