

EXHAUST GAS ON ROLL HEAVY WEIGHTS 10m Ø150mm 400V

Reference : AG 0015



Item name	EXHAUST GAS ON ROLL HEAVY WEIGHTS 10m Ø150mm 400V
EAN code	3701555301044
Intro	Specially designed for exhaust gas suction for HGV workshops.
Text	<p>This mechanical spring reel complete with exhaust blower can be installed on the ceiling or wall, always maintaining the same performance. The equipment allows you to work in a healthy environment without inhalation of exhaust gases and in compliance with work safety standards.</p> <p>Hose: anti-crushing structure, maintains flexibility over time thanks to the robust nylon spiral with a very tight pitch. This feature prevents the hose from stretching during pulling and from collapsing in high stress situations. Its smooth design on the inside guarantees maximum suction efficiency in m3.</p> <p>Directly coupled electric motor, statically and dynamically balanced impeller to limit friction, vibration and reduce energy consumption. Inlet and outlet flanges are sized for optimum suction capacity. Support feet for wall or ceiling mounting are included.</p>
Specifications	<p>Specifications:</p> <ul style="list-style-type: none">- galvanized steel structure- epoxy paint (grey RAL 7040)- 10m Ø150mm pipe (-40° to +200°) in high-temperature EPDM vulcanized fabric on both sides- discharge: Ø 160mm- power supply: 400 Tri- motor power: 1.0hp, 0.75KW, 50HZ, 1.7A

- max flow: 1000m³/h
- noise level: 68dB
- thermally protected switch
- metal flanges
- reel equipped with ratchet, end-stop and anti-slip system
- exhaust nozzle equipped with anti-intrusion grid, vice grip, gas suction shut-off flap and access for opacimeter probe
- weight: 73kg

Numerous options available on request.

Warranty period	2 years
Vehicle type	HGV
Decibel level	68.00 dB
Tension	400V
Product weight	73.00 kg
Diameter	150.00 mm
Air flow rate	1000
Tariff code	Tariff Equipment (TE)
Type of gas extraction system	Fixed
DPF compatible	NO
Hose length (m)	10m
Hose diameter (mm)	150mm
Max. hose temperature (°C)	200°C
Customer benefit	Connection of the hose to the reel by an ABS gooseneck, guarantees no deformation, no loss of suction efficiency.



CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to
12h30 and from 14h to 17h30
(16h30 on Friday)