

TK-IMT602 DIAGNOSTIC TOOL

Reference : TKIMT602



Item name TK-IMT602 DIAGNOSTIC TOOL

EAN code 3701555314563

Intro Maintenance range :
Fuel injector cleaner and tester. Includes fuel injector cleaning and testing function.

Only available in France and French overseas departments and territories.

Text All in one :
- ultrasonic cleaning
- injector test
- uniformity test
- leak test

THINKCAR TK-IMT602 is a mechatronic device that combines ultrasonic cleaning technology with the microcomputer's closed-loop oil pressure control cleaning and detection technology. This product simulates various Engine operating conditions, cleans and inspects fuel injectors on a variety of cars and motorcycles.

Main functions :
- ultrasonic cleaning
- integrated ultrasonic cleaning mechanism and LED display ensure thorough cleaning and simple data entry

Injector test :

- THINKCAR TK-IMT602 simulates different engine working conditions and tests the injectors of various cars such as idle test, medium speed test, high speed test, acceleration test, etc. To detect the condition of fuel injectors.
- idle test 0-20 ms Medium
- test 0-75ms High
- test 0-4ms Low
- acceleration test
- shift speed test
- leak detection test
- idle spray value test
- spray value test
- medium speed
- high-speed spray value test
- reverse rinse

Advantages :

- Bosh oil pump, ensures stable long-term use
- wide application, supports 99% of car injectors on the market
- unique design, integrates injector cleaning and testing function
- space-saving, equipped with connectors and accessory drawers
- support for external GDI module 6 cylinders, enables 6 injectors to be cleaned simultaneously
- high-definition digital tube display makes operation clear and easy
- see Fuel tank level is displayed visually, and test fluid can be recycled

Specifications

Specifications:

- power supply: AC220V/110V±10
- frequency: 50HZ±0.5
- magnetic field: <400A/m
- measuring cylinder capacity: 125ml
- speed range: 0~7500rpm
- injection time: 0~7500 steps: 100ms
- PWM pulse: 0~20.0 ms steps: 0.1 ms
- system pressure: 0~72psi (adjustable)
- time: 0~20minutes (adjustable)
- ultrasonic cleaning power: 70W
- ultrasonic cleaning frequency: 28KHZ±0.5KHZ
- dimensions: 380x485x470mm
- weight: 16Kg

Warranty period

2 years

Fuel type

Gasoline

Tariff code

Tariff Equipment (TE)

Warranty Procedure DIAGNOSTIC

Lignes téléphoniques dédiées

Deux lignes dédiées aux produits THINKCAR :

- Assistance technique « Outils » : +33(0)4 79 72 92 80
- Assistance « Diagnostic » (abonnement requis, nous contacter) : +33(0)1 74 05 63 39



***Public price Exl. Tax : €650.00**

*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to
12h30 and from 14h to 17h30
(16h30 on Friday)