

## 2 COLUMNS POST LIFT HIGH PASSAGE 5.00m 400V 6T 4 ARTICULATED ARMS

Reference : PE 2350T



|                          |   |
|--------------------------|---|
| <b>Item name</b>         | 2 COLUMNS POST LIFT HIGH PASSAGE 5.00m 400V 6T 4 ARTICULATED ARMS   |
| <b>Bar code</b>          | 3701555318042   |
| <b>Text</b>              | <p>Particularly adapted to repair activities on extended utility vehicles, 4x4, micro car.<br/>Electro-hydraulic post lift.<br/>Pusher cylinder direct on carriage.<br/>Arms with adjustable joints.<br/>Hose and cable routing from the top for optimum working comfort, allowing free access to equipment under the vehicle (cylinders, oil recuperator, battery removal, etc.), facilitating workshop cleaning.<br/>Hydraulic power pack: equipped with a position safety device for precise intervention, gearbox assembly, nut alignment, etc.<br/>Multiple lifting capacities thanks to 4 multi-adjustable articulated arms.<br/>Cylinder and cable protection strip included on each column.</p> |
| <b>Product highlight</b> | <p>6T capacity<br/>Multi-position arm</p>   |
| <b>Specifications</b>    | <p>Specifications:<br/>- lifting height: 95-1850mm<br/>- lifting time: +/- 50s<br/>- lowering time: +/- 30s<br/>- drive power: 2.2kW<br/>- drive voltage: 400V/50 V/Hz</p>  |

- concrete strength/quality: 200mm-C20/25
- adjustable screw buffers, stroke 70-140mm
- electrical release of safety catches
- emergency lowering system in the event of power failure
- system synchronization: by cable
- intermediate stop 20 cm above ground for user safety and anti-crushing audible signal
- engine protection
- door protection on columns
- 230V electrical socket on electrical box
- protective strip for cylinder and cables included on each column
- supplied with 4x70mm risers and brackets
- Epoxy paint

**Advice** Installation et mise en service, nous consulter.  
 Mise à disposition d'une nacelle impérative.  
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.  
 Frais de transport non inclus.

|                                    |  |
|------------------------------------|--|
| <b>Warranty period</b>             | 2 years  |
| <b>Power</b>                       | 2200W  |
| <b>Voltage</b>                     | 400V   |
| <b>Length (mm)</b>                 | 4,000.00 mm  |
| <b>Height</b>                      | 5,000.00 mm  |
| <b>Max. height</b>                 | 1,850.00 mm  |
| <b>Min. height</b>                 | 95.00 mm   |
| <b>Drive through width</b>         | 3,190.00 mm  |
| <b>Maximum load (T)</b>            | 6.00 T   |
| <b>Tariff code</b>                 | Tariff Equipment (TE)  |
| <b>Composition of nomenclature</b> | 1 x PE 2340 - 2 COLUMNS HIGH PASSAGE 400V 6T WITHOUT ARMS<br>1 x PE 2355T - ENGINE BLOC 2 COLUMNS POST LIFT 6T<br>1 x PE 2341 - PAIR OF ARTICULATED ARMS FOR 6T<br>1 x PE 2343 - HIGH PASSAGE EXTENSION 5m00 FOR 6T<br>2 x <a href="#">SA 3012 - HV46 HYDRAULIC OIL 5L</a> |

**Warranty Procedure** INTERVENTION

|  |                                  |
|--|----------------------------------|
| <b>Customer benefit</b>                | Delivered with 46V hydraulic oil |
| <b>Pneumatic power supply required</b> | NO                               |
| <b>Circuit breaker/Cable section</b>   | 10A D / 5x2.5mm <sup>2</sup>     |

**Soil quality**

>20cm Béton C20/25

**2**  
WARRANTY

**2200**  
**W**

  
**400V**



TE

**\*Public price Exl. Tax : €11,499.00**

\*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to 12h30  
and from 14h to 17h30 (16h30 on  
Friday)