

DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 4T IN-GROUND

Reference: PE 6340T



Item name DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 4T IN-GROUND

Bar code 3701555318110

Text Particularly suitable for 4x4s and SUVs.

In-ground.

Maximum comfort and safety: controlled by a double hydraulic master-slave safety system combined with a rack and pinion system to maintain a lasting position.

Galvanized 2-extension platforms.

Product highlight SUV and 4X4 special

Specifications Specifications:

- lifting height: 0-1999mm - lifting time: +/- 50s

- lowering time: +/- 30s

track width/length: 565/1660-2060mmsystem synchronization: photo cell

- air supply required 6-8 bar.

control consoledrive power: 3kw

- drive voltage: $(3 \sim) 400 \text{V}/50 \text{ V/Hz}$

- emergency lowering system in case of power failure

- intermediate stop at 20 cm from the ground for operator safety and anti-crushing audible

signal

Advice

Installation et mise en service, nous consulter.

Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par

un professionnel.

Frais de transport non inclus.

Warranty period

2 years

Power

3000W

Voltage

400V

Max. height

2,120.00 mm

Maximum load (T)

4.00 T

Tariff code

Tariff Equipment (TE)

Composition of nomenclature

1/4

1 x PE 6340T-2 - DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 4T IN-GROUND

1 x PE 6340T-1 - DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 4T IN-GROUND

1 x PE 6340T-3 - DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 4T IN-GROUND

1 x PE 6340T-4 - DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 4T IN-GROUND

4/4

3 x SA 3012 - HV46 HYDRAULIC OIL 5L

Warranty Procedure INTERVENTION

Customer benefit Supplied with HV46 hydraulic oil and ground fixing kit

Pneumatic power

YES

supply required

Circuit

16A D / 5x2.5mm2

breaker/Cable

section

on-ground/in-groundin-ground

Soil quality >20cm Béton C20/25











*Public price Exl. Tax : €5,999.00

*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS 83, chemin de la CROUZA 73800 CHIGNIN France

Tel: +33 (0) 4 79 72 62 22

Fax:

Monday to Friday - From 8 to 12h30 and from 14h to 17h30 (16h30 on Friday)