

## EXTRA LOW PROFILE SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T IN-GROUND

Reference : PE 6351T



<b>Item name</b>	EXTRA LOW PROFILE SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T IN-GROUND
<b>Bar code</b>	3701555318127
<b>Text</b>	<p>Especially adapted for technical inspection, geometries, repair and adjustment of headlights.</p> <p>Installation possibilities: floor-standing or floor built-in for LV and LCV.</p> <p>Working comfort: quick and easy vehicle mounting on the extra-low 140mm lift.</p> <p>Maximum safety: mechanical safety rack on main and auxiliary scissors to stabilize position.</p> <p>Auxiliary lift capacity 4.5T with 2 galvanized extensions.</p> <p>The secondary auxiliary cylinder is chrome-plated for extra durability.</p> <p>Pneumatically locked swing plates.</p>
<b>Product highlight</b>	perfect drivetrain control
<b>Specifications</b>	<p>Specifications:</p> <ul style="list-style-type: none"><li>- lifting height: 0-1980mm</li><li>- lifting time: +/- 50s</li><li>- lowering time: +/- 30s</li><li>- track width/length: 690/5200mm</li><li>- system synchronization: photo cell</li><li>- control console</li><li>- drive power: 3kw</li><li>- drive voltage: (3 ~) 400V/50 V/Hz</li></ul>

- required air supply 6-8 bar.
- swing tracks pneumatic locking
- epoxy paint
- emergency lowering system in case of power failure
- intermediate stop at 20 cm from the ground for operator safety and anti-crushing audible signal

**Advice** Installation et mise en service, nous consulter.  
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.  
 Frais de transport non inclus.

**Warranty period** 2 years

**Power** 3000W

**Voltage** 400V

**Length (mm)** 5,200.00 mm

**Max. height** 1,950.00 mm

**Maximum load (T)** 5.50 T

**Tariff code** Tariff Equipment (TE)

**Composition of nomenclature** 1 x PE 6351T-1 - EXTRA LOW PROFILE SCISSOR LIFT 5.5T AUX. LIFT 4.5T IN-GROUND 1/4  
 1 x PE 6351T-2 - EXTRA LOW PROFILE SCISSOR LIFT 5.5T AUX. LIFT 4.5T IN-GROUND 2/4  
 1 x PE 6351T-3 - EXTRA LOW PROFILE SCISSOR LIFT 5.5T AUX. LIFT 4.5T IN-GROUND 3/4  
 1 x PE 6351T-4 - EXTRA LOW PROFILE SCISSOR LIFT 5.5T AUX. LIFT 4.5T IN-GROUND 4/4  
 4 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

**Warranty Procedure** INTERVENTION

**Customer benefit** Supplied with HV46 hydraulic oil and ground fixing kit

**Circuit breaker/Cable section** 16A D / 5x2.5mm<sup>2</sup>

**on-ground/in-ground** in-ground



**\*Public price Exl. Tax : €15,999.00**

\*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to 12h30  
and from 14h to 17h30 (16h30 on  
Friday)