

## EXTRA LOW PROFILE SCISSOR LIFT AUXILIARY LIFT 400V 5T ON-GROUND

Reference : PE 6250T



<b>Item name</b>	EXTRA LOW PROFILE SCISSOR LIFT AUXILIARY LIFT 400V 5T ON-GROUND
<b>EAN code</b>	3701555318080
<b>Text</b>	<p>Especially adapted for technical inspection, geometries, repair and adjustment of headlights.</p> <p>On ground scissor lift for LV and LCV.</p> <p>Working comfort: quick and easy vehicle mounting on the extra-low 140mm post lift.</p> <p>Maximum safety: mechanical safety rack on main and auxiliary scissors to stabilize position.</p> <p>Auxiliary lift capacity 4T with 2 galvanized extensions.</p> <p>The secondary auxiliary cylinder is chrome-plated for extra durability.</p> <p>Pneumatically locked swing plates.</p>
<b>Product highlight</b>	Extra low-profile 140mm
<b>Specifications</b>	<p>Specifications:</p> <ul style="list-style-type: none"><li>- lifting height: 140-1850mm</li><li>- lifting time: +/- 50s</li><li>- lowering time: +/- 30s</li><li>- track width/length: 655/5200mm</li><li>- total length with access ramps: 6600mm</li><li>- system synchronization: photo cell</li><li>- control console</li><li>- drive power: 3kw</li></ul>

- drive voltage: (3 ~) 400V/50 V/Hz
- required air supply 6-8 bar.
- swing tracks pneumatic locking
- epoxy paint
- emergency lowering system in case of power failure
- intermediate stop at 20 cm from the ground for operator safety and anti-crushing audible signal

**Advice** Installation et mise en service, nous consulter.  
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.  
 Frais de transport non inclus.

**Warranty period** 2 years

**Power** 3000W

**Tension** 400V

**Length** 5,000.00 mm

**Width** 2,190.00 mm

**Max. height** 1,850.00 mm

**Min. height** 140.00 mm

**Maximum load (T)** 5.00 T

**Tariff code** Tariff Equipment (TE)

**Composition of nomenclature** 1 x PE 6250T-1 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 1/5  
 1 x PE 6250T-2 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 2/5  
 1 x PE 6250T-3 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 3/5  
 1 x PE 6250T-4 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 4/5  
 1 x PE 6250T-5 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 5/5  
 4 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

**Warranty Procedure** INTERVENTION

**Customer benefit** Supplied with HV46 hydraulic oil and ground fixing kit

**Disjoncteur/Section de câble** 16A D / 5x2.5mm<sup>2</sup>

**on-ground/in-ground** on-ground

**2**  
WARRANTY

  
**400V**



TE

**\*Public price Exl. Tax : €15,999.00**

\*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to 12h30  
and from 14h to 17h30 (16h30 on  
Friday)