

EXTRA LOW PROFILE SCISSOR LIFT AUXILIARY LIFT 400V 5T ON-GROUND

Reference : PE 6250T



Item name	EXTRA LOW PROFILE SCISSOR LIFT AUXILIARY LIFT 400V 5T ON-GROUND
Bar code	3701555318080
Text	<p>Especially adapted for technical inspection, geometries, repair and adjustment of headlights.</p> <p>On ground scissor lift for LV and LCV.</p> <p>Working comfort: quick and easy vehicle mounting on the extra-low 140mm post lift.</p> <p>Maximum safety: mechanical safety rack on main and auxiliary scissors to stabilize position.</p> <p>Auxiliary lift capacity 4T with 2 galvanized extensions.</p> <p>The secondary auxiliary cylinder is chrome-plated for extra durability.</p> <p>Pneumatically locked swing plates.</p>
Product highlight	Extra low-profile 140mm
Specifications	<p>Specifications:</p> <ul style="list-style-type: none">- lifting height: 140-1850mm- lifting time: +/- 50s- lowering time: +/- 30s- track width/length: 655/5200mm- total length with access ramps: 6600mm- system synchronization: photo cell- control console- drive power: 3kw

- drive voltage: (3 ~) 400V/50 V/Hz
- required air supply 6-8 bar.
- swing tracks pneumatic locking
- epoxy paint
- emergency lowering system in case of power failure
- intermediate stop at 20 cm from the ground for operator safety and anti-crushing audible signal

Advice Installation et mise en service, nous consulter.
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.
 Frais de transport non inclus.

Warranty period 2 years

Power 3000W

Voltage 400V

Length (mm) 5,000.00 mm

Width 2,190.00 mm

Max. height 1,850.00 mm

Min. height 140.00 mm

Maximum load (T) 5.00 T

Tariff code Tariff Equipment (TE)

Composition of nomenclature 1 x PE 6250T-1 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 1/5
 1 x PE 6250T-2 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 2/5
 1 x PE 6250T-3 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 3/5
 1 x PE 6250T-4 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 4/5
 1 x PE 6250T-5 - EXTRA LOW PROFILE SCISSOR LIFT AUX 400V 5T ON-GROUND 5/5
 4 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

Warranty Procedure INTERVENTION

Customer benefit Supplied with HV46 hydraulic oil and ground fixing kit

Pneumatic power supply required YES

Circuit breaker/Cable section 16A D / 5x2.5mm²

on-ground/in-ground on-ground

Soil quality

>20cm Béton C20/25

2
WARRANTY

400V



TE

***Public price Exl. Tax : €15,999.00**

*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h30
and from 14h to 17h30 (16h30 on
Friday)