

## SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND

Reference : PE 6352T



<b>Item name</b>	SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND
<b>EAN code</b>	3701555318134
<b>Text</b>	<p>Particularly suitable for technical inspections, geometries and repairs. In ground scissor lift for light commercial vehicles. Working comfort: quick and easy vehicle mounting on the extra-low 140mm lift. Maximum safety: mechanical safety rack on main and auxiliary scissors to stabilize position. Auxiliary lift capacity 4.5T with 2 galvanized extensions. The secondary auxiliary cylinder is chrome-plated for extra durability. Supplied with 2 pneumatically-locked Swashplates and 2 shifting plates. Supplied with 1 LCD screen console and a radio remote control for setting the shifting plates in motion.</p>
<b>Product highlight</b>	perfect drivetrain control
<b>Specifications</b>	<p>Specifications:</p> <ul style="list-style-type: none"><li>- lifting height: 0-1950mm</li><li>- lifting time: +/- 50s</li><li>- lowering time: +/- 30s</li><li>- track width/length: 690/5700mm</li><li>- system synchronization: photo cell</li><li>- control console</li><li>- drive power: 3kw</li><li>- drive voltage: (3 ~) 400V/50 V/Hz</li></ul>

- required air supply 6-8 bar.
- pneumatic oscillating tracks
- Epoxy paint
- emergency lowering system in case of power failure
- intermediate stop at 20 cm from the ground for operator safety and anti-crushing audible signal

**Advice** Installation et mise en service, nous consulter.  
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.  
 Frais de transport non inclus.

**Warranty period** 2 years

**Power** 3000W

**Tension** 400V

**Width** 5,700.00 mm

**Max. height** 1,950.00 mm

**Maximum load (T)** 5.50 T

**Tariff code** Tariff Equipment (TE)

**Composition of nomenclature** 1 x PE 6352T-1 - SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND 1/4  
 1 x PE 6352T-2 - SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND 2/4  
 1 x PE 6352T-3 - SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND 3/4  
 1 x PE 6352T-4 - SCISSOR LIFT 5.5T AUXILIARY LIFT 54.5T TECH CONTROL IN-GROUND 4/4  
 4 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

**Warranty Procedure** INTERVENTION

**Customer benefit** Supplied with HV46 hydraulic oil and ground fixing kit

**Disjoncteur/Section de câble** 16A D / 5x2.5mm<sup>2</sup>

**on-ground/in-ground** in-ground



CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to  
12h30 and from 14h to 17h30  
(16h30 on Friday)