

SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND

Reference : PE 6352T



Item name	SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND
Bar code	3701555318134
Text	<p>Particularly suitable for technical inspections, geometries and repairs. In ground scissor lift for light commercial vehicles. Working comfort: quick and easy vehicle mounting on the extra-low 140mm lift. Maximum safety: mechanical safety rack on main and auxiliary scissors to stabilize position. Auxiliary lift capacity 4.5T with 2 galvanized extensions. The secondary auxiliary cylinder is chrome-plated for extra durability. Supplied with 2 pneumatically-locked Swashplates and 2 shifting plates. Supplied with 1 LCD screen console and a radio remote control for setting the shifting plates in motion.</p>
Product highlight	perfect drivetrain control
Specifications	<p>Specifications:</p> <ul style="list-style-type: none">- lifting height: 0-1950mm- lifting time: +/- 50s- lowering time: +/- 30s- track width/length: 690/5700mm- system synchronization: photo cell- control console- drive power: 3kw- drive voltage: (3 ~) 400V/50 V/Hz

- required air supply 6-8 bar.
- pneumatic oscillating tracks
- Epoxy paint
- emergency lowering system in case of power failure
- intermediate stop at 20 cm from the ground for operator safety and anti-crushing audible signal

Advice Installation et mise en service, nous consulter.
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.
 Frais de transport non inclus.

Warranty period 2 years

Power 3000W

Voltage 400V

Width 5,700.00 mm

Max. height 1,950.00 mm

Maximum load (T) 5.50 T

Tariff code Tariff Equipment (TE)

Composition of nomenclature 1 x PE 6352T-1 - SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND 1/4
 1 x PE 6352T-2 - SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND 2/4
 1 x PE 6352T-3 - SCISSOR LIFT 5.5T AUXILIARY LIFT 4.5T TECH CONTROL IN-GROUND 3/4
 1 x PE 6352T-4 - SCISSOR LIFT 5.5T AUXILIARY LIFT 54.5T TECH CONTROL IN-GROUND 4/4
 4 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

Warranty Procedure INTERVENTION

Customer benefit Supplied with HV46 hydraulic oil and ground fixing kit

Pneumatic power supply required YES

Circuit breaker/Cable section 16A D / 5x2.5mm²

on-ground/in-ground in-ground

Soil quality >20cm Béton C20/25



***Public price Exl. Tax : €20,999.00**

*Applicable user fees from 01/09/2024 to 31/08/2025

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h30
and from 14h to 17h30 (16h30 on
Friday)