

INDUCTION HEATER

Reference: OE 0800



Item name INDUCTION HEATER

Bar code 3700461467233

Introduction Allows a room to be heated in a precise area, meaning that nuts, screws, bolts, bolted

connections, hubs (even if rusted), lamba probes, ball bearings can be unblocked...It also allows stickers to be easily removed and stuck door rods to be disassembled or HGV

wheel screws to be removed.

Text It is a real alternative to a blowtorch or a welding torch: induction enables the metal

(conductive) to be heated with precision in a localised spot with no risk of damage to surrounding parts and cables (glass, plastic, paintwork...) implementation of the tool. Not only this, the operator saves a considerable amount of time when implementing the

tool.

Product highlight Improved security

Time gain

Specifications Specifications:

- frequency: 25-60kHz

- automatic overheating shutdown

- short-circuit and open circuit security, overload alarm

- dimensions: 200x140x75mm

Contents Contents

- deported induction central unit with 3m supply cable and 70cm connector (to improve

accessibility)

- SA0819: rigid induction coil Ø19mm length 220mm - SA0832: rigid induction coil Ø32mm length 220mm

- SA0818: flexible coil length 800mm

- SA0817: induction pad Ø50mm length 220mm

- shoulder strap

- plastic case with foam

Warranty period 2 years

Power 1500W

Voltage 240V

More Products with electrical plug

3.00 m Cable length

Length (mm) 200.00 mm

Width 140.00 mm

Height 75.00 mm

Tariff code Tariff Normal (TN)

Warranty Procedure DIAGNOSTIC













CLAS EQUIPEMENTS 83, chemin de la CROUZA 73800 CHIGNIN France

Tel: +33 (0) 4 79 72 62 22 Fax:

Monday to Friday - From 8 to 12h30 and from 14h to 17h30 (16h30 on Friday)