



2024 - 2025



**CLAS**<sup>®</sup>  
GLOBAL GARAGE SOLUTIONS

*Solutions*  
**HAND  
TOOLS**





# 183 HAND TOOLS

Browse through our HAND TOOLS solutions, from our 24-25 general catalog.



**184** - TOOL STORAGE



**188** - TOOL CABINETS



**200** - TOOL CASES



**202** - TIGHTENING KEYS



**204** - SOCKET & RATCHET



**216** - SCREWING



**221** - PLIERS



**223** - HAMMERING TOOLS



**227** - TORQUE WRENCHES



**229** - MEASUREMENT &  
CONTROL



**230** - CUTTER & SCRAPER

You can find our full range on [clas.com](https://www.clas.com) (or in our general catalog)





### REPAIR BAG 4 INSERTS 103 TOOLS

EG 3111

NEW



OS 3000



OS 3200



OS 5000



OS 4100

**Contents:**

- EG3110: tool bag with shoulder strap
- OS3000: 1/2" ratchet inserts (23pcs)
- OS3200: 1/4" ratchet inserts (59pcs)
- OS5000: pliers insert (4pcs)
- OS4100: 6-24mm combination wrench inserts (17pcs)

### REPAIR CASE 6 INSERTS 115 TOOLS

EG 3121

NEW



OS 3000



OS 3200



OS 5000



OS 4100



OS 5200



OS 1200

**Contents:**

- EG3120: wheeled case
- OS3000: 1/2" ratchet insert (23pcs)
- OS3200: 1/4" ratchet insert (59pcs)
- OS5000: pliers insert (4pcs)
- OS4100: 6-24mm combination wrench inserts (17pcs)
- OS5200: circlip pliers insert 178mm inside-outside (4pcs)
- OS1200: PH-slot diamond screwdriver insert (8pcs)





TN

REPAIR BACKPACK 139 TOOLS

EG 3131

NEW



OS 3050BL



OS 4100



OS 1201



OS 5099

Contents:

- EG3130 : 1 x backpack
- OS3050BL : 1 x 1/4"-1/2" tool set (108pcs)
- OS1201 : 1 x 8 pcs ph - flat diamond screwdriver
- OS5099 : 1 x 4 pliers set
- OS4100 : 1 x combination wrench insert 6-24mm (17 pcs)
- OE3008BL : 1 x cat.i digital multimeter

SUITCASE 166 TOOLS

OS 3320BL

**B.LINE**  
BUDGET SOLUTION

Contents:

- 1 grey case
  - 1 telephone pliers 150mm
  - 1 long nose pliers 200mm
  - 1 combination pliers 180mm
  - 1 locking pliers 250mm
  - 1 adjustable wrench 250mm
  - 6 pin drivers 150mm: 2-3-4-5-6mm
  - 3 chisels 150mm
  - 9 hexagonal wrenches: 1.5-2-2.5-3-4-5-6-8-10
  - 9 torx wrenches: T10-15-20-25-27-30-40-45-50
  - 1 telescopic magnet
  - 1 saw 450mm
  - 1 caliper 0-150mm
  - 2 files 200mm
  - 1 hammer 1kg
  - 2 circlip pliers
  - 13 open-end wrenches: 7-8-9-10-11-12-13-14-15-16-17-18-19mm
  - 7 screwdrivers
  - 1 tension tester
  - 1 1/2" ratchet
  - 2 1/2" extension cords: 125-250mm
  - 16 1/2" sockets: 10-11-12-13-14-16-17-18-19-20-21-22-24-27-30-32mm
  - 1 1/4" ratchet
  - 2 extensions 1/4": 50-100mm
  - 12 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
  - 1 1/4" socket holder
  - 56 bits
  - 1 cutter 18mm
  - 10 spare blades 18mm
  - 1 1/4" bit holder
- 1 1/2"-1/4" adapter



NEW





TN

### SHOULDER TOOL BAG

EG 3110

This sturdy bag is practical for small outdoor jobs, thanks to its multiple interior and exterior storage compartments. It can hold 4 CLAS tool inserts, or numerous loose tools, and is also suitable for carrying power tools.

Transportable with its sturdy handles or over the shoulder with the shoulder strap, you can take your tools anywRANGE HERE, either loose or arranged in the many compartments. The bottom of the bag is made of a rigid shell, so it can be used on any occasion while protecting your tools. Reflective strips make the bag easy to see.



NEW

**Specifications:**

- length: 50cm
- width: 30cm
- height of retractable handle, folded: 40cm
- unfolded retractable handle height: 100cm

19 pockets:  
 8 inside, including 1 with Velcro along the length, 1 in aerosol format,  
 6 in identical format 6 x 12cm, large main storage compartment  
 11 outside, including 1 with scratch on front 20 x 20cm, and 4 in 10 x 12cm format  
 3 + 3 lateral (1 8 x 18cm 2 6 x 18cm)

**ADVANTAGE**  
Opening support armature



### WHEELED SUITCASE

EG 3120

This sturdy case is practical for outdoor work, thanks to its multiple interior and exterior storage compartments. It can hold 6 CLAS tool inserts, or numerous loose tools, and is also suitable for transporting power tools. Can be heavily loaded up to 25kg.

Transportable thanks to its riveted sewn handles or telescopic handle, you can take your tools anywRANGE HERE, either loose or stored in the numerous compartments. The dual-material, spiked wheels and telescopic handle guarantee ease of movement. The hard-shell case bottom allows use on all occasions, while protecting your tools. Reflective strips make the case easy to see.

NEW

+ Opening support armature



Compatible with foam insert in 1/3 format (tools not included)





NEW

BACKPACK

EG 3130

This sturdy bag is practical for small outdoor jobs, thanks to its multiple interior and exterior storage compartments. It can accommodate a multitude of tools thanks to its various interior pockets and sewn-on elastic loops.

Carried by the handle or on the back thanks to the shoulder straps, you can take your tools anywRANGE HERE, either loose or stored in the compartments. This bag offers great flexibility for tool storage, thanks to its multiple external zipped pockets and internal storage spaces (pockets, elastane loops). The bottom of the bag is made of a rigid shell, so it can be used on any occasion while protecting your tools.



Reflective strips = optimum visibility

Side straps = better support

Protection



Rigid shell

ø70mm storage pocket for consumables



(tools not included)

Specifications:

- height: 50cm
- length: 35cm
- width: 25cm
- external storage: 4 zipped pockets + 1 single pocket + storage slots
- interior storage: 18 pockets + 40 storage slots- height: 50cm- length: 35cm- width: 25cm-
- external storage: 4 zipped pockets + 1 single pocket + storage slots- interior storage: 18 pockets + 40 storage slots





# EQUIPPED TOOL CABINETS

TN

## 7 DRAWERS ROLLER CABINET + 214 TOOLS

EG 1100BL

**B.LINE**  
BUDGET SOLUTION



### Specifications:

- load capacity per small drawer: 16kg
- load capacity per large drawer: 25kg
- load capacity for tray: 32kg
- total load capacity: 180kg
- weight of trolley and tools: 59kg
- empty weight: 41kg

### Contents:

- 7 drawers roller cabinet
- **1 screwdriver insert (15pcs)**
  - 7 torx screwdrivers (mm): T9x75-T15x100-T20x100-T25x100-T27x100-T30x100-T40x150
  - 4 phillips screwdrivers (mm): PH2x38-PH2x100-PH3x150-PH1x75
  - 4 pozidrive screwdrivers (mm): SL6x38-SL5x75-SL6x100-SL6.5x150
- **1 pliers and hammer insert (13pcs)**
  - 1 internal straight circlip pliers
  - 1 internal circlip pliers, curved nose
  - 1 straight external circlip pliers
  - 1 6" bending pliers
  - 1 6" diagonal pliers
  - 1 combination pliers 8"
  - 1 long nose pliers 6"
  - 1 10" water pump pliers
  - 1 general-purpose hammer 300g
  - 4 scissors (mm): 3x150, 5x150, 6x150, 8x150
- **1 socket and ratchet insert (64pcs)**
  - 17 sockets 1/2" DR (mm): 10-11-12-13-14-15-17-18-19-21-22-23-24-27-30-32
  - 15 sockets 3/8" DR (mm): 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24
  - 13 sockets 1/4" DR (mm): 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14
  - 3 ratchet handles: 1/4", 1/2", 3/8"
  - 3 1/2" sockets (mm): 17-19-21
  - 1 1/4" cone
  - 3 universal joints: 1/4", 1/2", 3/8"
  - 3 sliding bars: 1/4", 1/2", 3/8"
  - 2 1/2" extension bars: 5" and 10"
  - 2 extension bars 3/8": 6" and 3"
  - 2 x 1/4" extension bars: 4" and 2"
- **1 bit insert (102pcs)**
  - 48 bits 1/4" 35mm: T8-9-10-15-20-27-30-40 / TT8-9-10-15-20-25-27-30-40 / PH0-1-2-3 SL4- 5.5-6.5-7 / PZO-1-2-3 M7-8-10-12 / H3-4-5-6-7-8 / TS10-15-20-25-27-30-40-45-50
  - 24 bits 30 mm: SL8-10-12 / T40-45-50-55-60-70 / PZ3-4 / PH3-4 H7-8-10-12-14 / TT40-45-50-55-60-70
  - 6 pieces 1/2" short bits 55 mm: M16-H24-H22-H19-H17-H14
  - 22 long sockets 1/2" (mm): T80x100, M16x100, M9x100, MP9X100
  - T40x140, T45x140, T50x140, T55x140, T60x140, T70x140, M10x140, M12x140
  - M14x140, MP10x140, H10x140, H11x140, H13x140
  - H5x160, MP8x250, MP7x240, H7x240, H30x300
  - 1 1/2" coupling
  - 1 1/2" M15 impact socket
- **1 wrench insert (20pcs)**
  - 12 ratchet combination wrenches (mm): 8-9-10-11-12-13-14-15-16-17-19-22
  - 8 double offset ring wrenches (mm): 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22





# 154 TOOLS CABINET

6 DRAWERS + 154 TOOLS ROLLER CABINET

EG 6154



EG 0088



OS 1200



OS 4100



OS 3000



OS 5000



OS 6000



OS 3200

**+** 3 inserts = 1 drawer

COMPOSITION AVAILABLE IN 6, 7 AND 8 DRAWERS



EG 0087



EG 0098

	6 drawers	7 drawers	8 drawers
Tool cabinets + 154 tools	<b>EG 6154</b>	<b>EG 7154</b>	<b>EG 9154</b>







# 172 TOOLS CABINET

6 DRAWERS + 172 TOOLS ROLLER CABINET

EG 6205



EG 0088

+ 3 inserts = 1 drawer



OS 1200



OS 1210



OS 3000



OS 2000



OS 4100



OS 6000



OS 3200



OS 5000



OS 5200

COMPOSITION AVAILABLE IN 6, 7 AND 8 DRAWERS



EG 0087



EG 0098

	6 drawers	7 drawers	8 drawers
Tool cabinets + 172 tools	<b>EG 6205</b>	<b>EG 7205</b>	<b>EG 9205</b>





TN

## 207 TOOLS CABINET

6 DRAWERS + 207 TOOLS  
ROLLER CABINET

EG 6245



EG 0088



OS 1200



OS 4100



OS 3000



OS 3600



OS 2000



OS 5399



OS 5499



OS 5000



OS 3300



OS 3200



OS 6000

**+**  
3 inserts = 1 drawer

## COMPOSITION AVAILABLE IN 6, 7 AND 8 DRAWERS



Wooden tray

Secure drawer

EG 0087



EG 0098

	6 drawers	7 drawers	8 drawers
Tool cabinets + 207 tools	<b>EG 6245</b>	<b>EG 7245</b>	<b>EG 9245</b>





BODY REPAIR ROLLER CABINET 190 TOOLS

EG 8888



OS 1200



OS 1210



OS 3000



OS 2000



OS 4100



OS 3200



OS 0850



OS 5000



EG 0087



OC 6081



OC 6080

- EG0087 : 1 x 7 drawers roller cabinet
- OC0811 : 1 x hammer + block set (7 pcs)
- OM0749BL : 1 x riveting pliers
- SA0115 : 1 x plastic chisel
- OC0033 : 1 x trim clip plier
- OM8081 : 1 x lock grip plier 190mm
- OM8080 : 1 x lock grip pliers 225mm
- OP1510 : 1 x 1/4"-3/8" d. mini ratchet wrench kit
- OP1203 : 1 x mini die grinder ø6mm 25,000rpm
- OM0643 : 1 x 5 carbide rotary rasps box
- EG0680 : 1 x drill set hss cobalt 5% (25pcs)
- EG8009 : 1 x dispenser/hand towel roll stand for drawers
- EG8001 : 1 x metal workshop waste for drawer
- OS3200 : 1 x ratchet insert 1/4" (59 pcs)
- OS4100 : 1 x combination wrench insert 6-24mm (17 pcs)
- OS3000 : 1 x 1/2" ratchet insert (23 pcs)
- OS5000 : 1 x plier insert (4 pcs)
- OS2000 : 1 x hex t-handle wrench insert 3-10mm (7 pcs)
- OC1700BL : 1 x windscreen wiper remover
- OC0302 : 1 x scraper and utility knife set
- OC8078 : 1 x 5 pcs nylon trim removal set
- SA0881 : 1 x hammering insert
- OM0801 : 1 x 6 pin driver set with base
- OM0803 : 1 x automatic punch
- OM0160 : 1 x rivoir hammer composite handle 1000gr
- OM0170 : 1 x dead blow hammer with interchangeable tip 32mm
- OM0800 : 1 x extra flat splitting chisel
- OP1451 : 1 x ø13mm reversible drill
- OC6081 : 1 x wide bodywork spoon
- OC6080 : 1 x long bodywork spoon
- OP0099 : 1 x straight blowgun pen
- OS1200 : 1 x diamond screwdriver insert ph-slotted (8pcs)
- OS1210 : 1 x 7 pcs t10-40 diamond torx screwdriver insert





4 DRAWERS + 214 HGV TOOLS DOOR ROLLER CABINET

EG 4247

Wide and sturdy, it offers a larger work surface and a total load capacity of 500kg. Perforated on both sides, the cabinet is fully accessorizable (workshop bin, hand towel dispenser, etc...) Its side lock located under the handle protects the key during handling.



OS 1200



OS 1210



OS 2000




OS 3000




OS 3200



OS 4100



OS 4200



OS 6000



OS 5499



OS 5399



OS 5000



OS 5200



OS 0850



OS 3450



OM 0800



OS 3500



OS 5024



EG 0076

**+** 500 Kg load capacity

- OS2000 : 1 x hex t-handle wrench insert 3-10mm (7 pcs)
- OS4100 : 1 x combination wrench insert 6-24mm (17 pcs)
- OS5399 : 1 x hex. socket spanner insert 8-19mm (12 pcs)
- OS5499 : 1 x hex socket spanner insert 20-24mm (5 pcs)
- OS3000 : 1 x 1/2" ratchet insert (23 pcs)
- OS5000 : 1 x plier insert (4 pcs)
- OS6000 : 1 x special bit insert (43pcs)
- OS4200 : 1 x combination wrench insert 27-32mm (4 pcs)
- OS3200 : 1 x ratchet insert 1/4" (59 pcs)
- OS5200 : 1 x 4pcs circlip plier insert 178mm inside-outside
- OS3500 : 1 x hex impact socket kit 24-50mm 1" (9 pcs)
- OS5024 : 1 x 24" aluminum claw wrench
- SA0881 : 1 x hammering insert
- OM0801 : 1 x 6 pin driver set with base
- OM0803 : 1 x automatic punch
- OM0160 : 1 x rivoir hammer composite handle 1000gr
- OM0170 : 1 x dead blow hammer with interchangeable tip 32mm
- OM0800 : 1 x extra flat splitting chisel
- OS1000 : 1 x screwdriver insert (8 pcs)
- OS1100 : 1 x 7 pcs torx screwdriver insert t10-40
- EG0076 : 1 x 4 drawers + 1 door roller cabinet hgv





# TOOL CABINETS

TN

## 6 DRAWERS ROLLER CABINET

EG 0088



+ Drawers open fully

- Specifications:**
- total size: W.688xD.459xH.858mm
  - steel thickness of body: 0.8mm
  - steel thickness of drawers: 0.6 to 0.8mm
  - 3 drawers 75mm
  - 3 drawers 154mm
  - casters: PP 5x2: 2 fixed, 2 swivel with side brakes



## 8 DRAWERS ROLLER CABINET

EG 0098

TN



+ 100% drawer opening

- Specifications:**
- dimensions: 688x459x858mm
  - thickness of steel body: 0,8mm
  - steel thickness of drawers: 0,6 to 0,8mm
  - 7 drawers: 75mm
  - 1 drawer: 154mm
  - wheels: PP, 2 fixed, 2 swivel with lateral brakes
  - load capacity per drawer: 45kg
  - tray load: 200kg





TN


## 7 DRAWERS ROLLER CABINET

EG 0087

**+** 400kg load



Supplied with a wooden plate and 8mm thick foam worktop



### Specifications:

- dimensions: 688x459x1035mm
- 5 drawers H.75mm (580x400x61mm)
- 2 drawers H.154mm (580x400x141mm)
- ball-bearing slides
- drawer security, unlocked by handle
- ABS drawer handles
- 2 fixed wheels TPR Ø125mm
- 2 TPR Ø125mm swivel wheels with brakes
- key lock (2 keys supplied)
- 2.5mm EVA foam protection in each drawer
- load capacity per drawer: 45kg
- load capacity on tray: 300kg
- total load capacity: 400kg
- empty weight: 68kg



## 3 TRAY ROLLER CABINET

EG 0083

### Specifications:

- overall dimensions: 766x415x840mm
- tray dimensions: 760x410x60mm
- 2 fixed casters Ø100mm
- 2 swiveling casters Ø100mm with brakes
- 2.5mm thick EVA foam tray protection
- admissible load per shelf: 30kg
- total admissible load: 90kg





### 4 DRAWERS + 1 DOOR ROLLER CABINET HGV

EG 0076

NEW

Wide and solid, it offers a comfortable work surface and a total load capacity of 500kg.

Perforated on 2 sides, the trolley can be fitted with a wide range of accessories. (workshop waste garbage can, hand towel dispenser...)

+ High storage capacity



**Specifications:**

- dimensions: L.881xW.460xH.858mm
- 100% drawer opening
- 4 drawers H.75mm int.774x400mm
- 1 pedestal H.540mm int.774x450mm
- wooden top
- ball-bearing runners
- ABS drawer handles

- key lock (2 keys supplied)
- wheels on sealed bearings
- 2 fixed wheels Ø125mm
- 2 Ø125mm swivel wheels, 1 with double brake (rotation + swivel)
- load capacity per drawer: 40kg
- total load capacity: 500kg





TN

## THE ESSENTIAL ACCESSORIES FOR THE TOOL CABINETS

20 MAGNETIC  
HOOKS SET  
EG 8008



MAGNETIC TRAY  
EG 8007



4PCS MAGNETIC  
TOOL TRAY SET  
EG 8004



MAGNETIC  
SPRAY CAN AND  
SCREWDRIVER  
HOLDER  
EG 8006



MAGNETIC  
TOOL HOLDER  
EG 0070



METAL WORKSHOP  
WASTE FOR DRAWER  
EG 8001



Hooks available on  
[clas.com](http://clas.com)


DISPENSER/  
HAND TOWEL  
ROLL STAND FOR  
DRAWERS  
EG 8009







# TOOL SETS



Insert dimensions:  
390x190x35mm



TN



DIAMOND SCREWDRIVER INSERT PH-SLOTTED (8PCS)  
OS 1200



7 PCS T10-40 DIAMOND TORX SCREWDRIVER INSERT  
OS 1210



HEX T-HANDLE WRENCH INSERT 3-10mm (7 PCS)  
OS 2000



1/2" RATCHET INSERT (23 PCS)  
OS 3000



RATCHET INSERT 1/4" (59 PCS)  
OS 3200



3/8" RATCHET INSERT 21 PCS  
OS 3600



ADJUSTABLE RATCHETING COMBINATION WRENCH INSERT 8-19mm (12 PCS)  
OS 4020



COMBINATION WRENCH INSERT 6-24mm (17 PCS)  
OS 4100



COMBINATION WRENCH INSERT 27-32mm (4 PCS)  
OS 4200



HEX. SOCKET SPANNER INSERT 8-19mm (12 PCS)  
OS 5399



HEX SOCKET SPANNER INSERT 20-24mm (5 PCS)  
OS 5499



FLARE NUT WRENCH INSERT 8-19mm (6 PCS)  
OS 0070





PLIER INSERT  
(4 PCS)

OS 5000



4PCS CIRCLIP PLIER  
INSERT 178mm  
INSIDE-OUTSIDE

OS 5200



SPECIAL BIT INSERT  
(43PCS)

OS 6000



MEASURING  
TOOLS INSERT  
(6PCS)

AC 0000



HAMMERING  
INSERT (10  
PCS)

OS 0850



FOAM STORAGE  
TRAY

EG 0080



TN



INSULATED  
SCREWDRIVER  
INSERT (7 PCS)

OE 0880



INSULATED  
RATCHET  
AND SOCKET  
INSERT 3/8"

(14 PCS)  
OE 0820



INSULATED  
RATCHET  
AND SOCKET  
INSERT 1/4"

(46 PCS)  
OE 0660



INSULATED  
OPEN END  
WRENCH  
INSERT (15  
PCS)

OE 0683



INSULATED  
OFFSET RING  
SPANNER  
DOUBLE HEX  
INSERT (11  
PCS)

OE 0850



INSULATED  
CLAMPS INSERT  
(4 PCS)

OE 0870



NOTE

See our entire range of insulated tools p.454





# TOOL CASES

FIND THE ALL TOOL CASES RANGE HERE



## TOOL CASES

### PRECISION RATCHET+SCREWDRIVER SET (78PCS)

OS 1040BL

Compact case for hard-to-reach jobs, ideal for adding to a repair toolbox.




#### Contents:

- 1 reversible ratchet 1/4" 6.35
- 1 bit-holder screwdriver
- 1 extension
- 1 magnetic holder
- 1 precision holder
- 1 precision plier
- 41 bits 6.35x25mm
- 1 adapter 25mm
- 1 magnetic precision tip adapter
- 20 precision bits 4x28mm
- 9 1/4 sockets: 4-5-6-7-8-9-10-11-12mm

Dimensions :  
160X90X40mm



TN



Reversible ratchet



### MINI 1/4" RATCHET SET + SOCKETS + BITS (39PCS)

OS 1050

#### Content :

- 1 reversible ratchet 1/4"
- 1 bit-holder screwdriver
- 9 sockets 1/4"
- 1 extension 55mm
- 1 extension 100mm
- 24 precision bits 6.35x25mm
- 1 adapter

Dimensions :  
160X90X45mm



NEW

90mm

160mm

TN



### 1/4"-1/2" TOOL SET (108PCS)

OS 3050BL

Intervention composition for 1/4" and 1/2" mechanical and industrial applications.



Flash to see the composition!



TN





TN

# 1/4"-3/8"-1/2" TOOL SET (172PCS)

OS 3280BL

Intervention solutions for mechanical and industrial applications 1/4", 3/8" and 1/2".



**Contents:**

- 1 black plastic case
- 7 Allen keys: 1.25-1.5-2-2.5-3-4-5mm
- 1 1/2"-3/8" reducer
- 3 1/2"-3/8"-1/4" cardan sockets
- 1 rotating handle: 150mm
- 3 connections: 1/4 "x1/4"-1/2 "x5/16"-3/8 "x5/16"

**1/2" composition :**

- 1 1/2" ratchet 72 teeth
- 17 hexagon sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
- 5 long hexagon sockets: 16-17-18-19-22mm
- 2 Torx E sockets: E20-E24
- 2 extension sockets 1/2": 125-250mm
- 2 spark plug sockets 1/2": 16-21mm

**Composition 3/8" :**

- 1 ratchet 72 teeth 3/8
- 10 hexagon sockets: 10-11-12-13-14-15-16-17-18-19mm
- 6 long hexagon sockets: 10-11-12-13-14-15mm
- 6 Torx E sockets: E10-E11-E12-E14-E16-E18
- 1 extension 3/8": 150mm
- 1 spark plug socket 3/8": 18mm

**1/4" composition :**

- 1 72-tooth 1/4" ratchet
- 13 hexagon sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm

- 7 long hexagon sockets: 4-5-6-7-8-9-10mm
- 5 Torx E sockets: E4-E5-E6-E7-E8
- 1 sliding handle 1/4": 115mm
- 2 risers 1/4": 50-100mm
- 8 x 1/4" torx bit sockets: T8-T9-T10-T15-T20-T25-T27-T30
- 8 sockets for drilled tort 1/4": T8-T9-T10-T15-T20-T25-T27-T30
- 3 Philips bit sockets 1/4": PH0-PH1-PH2
- 3 Pozidrive bit sockets 1/4": PZ0-PZ1-PZ2
- 4 sockets slot 1/4": SL4-SL5.5-SL6.5-SL7mm
- 4 hexagon socket bits 1/4": H3-H4-H5-H6mm
- 20 bits 25mm: Ø6.25mm
- 24 bits 30mm: Ø8mm



# CASE 166 TOOLS

OS 3320BL



**Contents:**

- 1 grey case
- 1 telephone pliers 150mm
- 1 long nose pliers 200mm
- 1 combination pliers 180mm
- 1 locking pliers 250mm
- 1 adjustable wrench 250mm
- 6 pin drivers 150mm: 2-3-4-5-6mm
- 3 chisels 150mm
- 9 hexagonal wrenches: 1.5-2-2.5-3-4-5-6-8-10
- 9 torx wrenches: T10-15-20-25-27-30-40-45-50
- 1 telescopic magnet
- 1 saw 450mm
- 1 caliper 0-150mm
- 2 files 200mm
- 1 hammer 1kg
- 2 circlip pliers
- 13 open-end wrenches: 7-8-9-10-11-12-13-14-15-16-17-18-19mm
- 7 screwdrivers
- 1 tension tester
- 1 1/2" ratchet
- 2 1/2" extension cords: 125-250mm
- 16 1/2" sockets: 10-11-12-13-14-16-17-18-19-20-21-22-24-27-30-32mm
- 1 1/4" ratchet
- 2 extensions 1/4": 50-100mm
- 12 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
- 1 1/4" socket holder
- 56 bits
- 1 cutter 18mm
- 10 spare blades 18mm
- 1 1/4" bit holder
- 1 1/2"-1/4" adapter





# TOOL SETS

TN

COMBINATION WRENCH INSERT 6-24mm (17 PCS)

OS 4100




COMBINATION WRENCH INSERT 27-32mm (4 PCS)

OS 4200



**Specifications:**

- format: 1/3 drawer
- insert dimensions: 390x185x35mm
- finish: micro satin
- material: chrome vanadium
- angle: 13°
- DIN ISO 3113




Retail components available on clas.com



ADJUSTABLE RATCHETING COMBINATION WRENCH INSERT 8-19mm (12 PCS)

OS 4020

TN



**Specifications:**

- format 1/3 drawer
- insert dimensions: 390x185x35mm
- finish: micro satin
- material: chrome vanadium
- angle: 15°
- DIN ISO 691
- DIN ISO 1711-1



Flash to see the composition!





# CLAW WRENCHES

## HEX SOCKET SPANNER INSERT 8-19mm (12 PCS)

OS 5399



**Specifications:**

- Format: 1/3 drawer
- Finish: micro satin
- Material: chrome vanadium



## HEX SOCKET SPANNER INSERT 20-24mm (5 PCS)

OS 5499



TN



## FLARE NUT WRENCH INSERT 8-19mm (6 PCS)

OS 0070

TN



**Specifications:**

- angle: 13°
- hex socket
- CRV steel



## 14" ALUMINUM CLAW WRENCH

OS 5014

TN

**Specifications:**

- length: 320mm
- opening: 50mm
- weight: 920g



## 24" ALUMINUM CLAW WRENCH

OS 5024

**Specifications:**

- length: 607mm
- opening: 76mm
- weight: 2400g





# 1/4" SOCKET & RATCHET

## PRECISION RATCHET+SCREWDRIVER SET (78PCS)

TN

OS 1040BL



**Contents:**

- 1 reversible ratchet 1/4" 6.35
- 1 bit-holder screwdriver
- 1 extension
- 1 magnetic holder
- 1 precision holder
- 1 precision plier
- 41 bits 6.35x25mm
- 1 adapter 25mm
- 1 magnetic precision tip adapter
- 20 precision bits 4x28mm
- 9 1/4 sockets: 4-5-6-7-8-9-10-11-12mm

Dimensions : 160X90X40mm



## MINI 1/4" RATCHET SET + SOCKETS + BITS (39PCS)

TN

OS 1050



**Contents:**

- 1 reversible ratchet 1/4"
- 1 bit-holder screwdriver
- 9 sockets 1/4"
- 1 extension 55mm
- 1 extension 100mm
- 24 precision bits 6.35x25mm
- 1 adapter

Dimensions : 160X90X45mm




## 1/4"TORX PLUS SOCKETS EP 6-7-8-10-11-12 L.25mm

TN

OM 7019

Specially designed for Torx Plus indentations. More resistant to torsion, increased service life compared with classic Torx models.

Nissan, Renault, cylinder head...  
Not compatible with Torx Classic indentations



## SET 7 SOCKETS TS TIPS 1/4" D. TS10-TS15-TS20-TS25-TS27-TS30-TS40

TN

OM 7006

These 5 star bits are for brands: Renault, Peugeot, Mercedes, Rover and diesel injection pumps.




## BIT SET TS PLUS - TORX PLUS 1/4"-3/8" (23 PCS)

TN

OM 0645

Not compatible with Torx Classic indentations





TN



RATCHET INSERT 1/4" (59 PCS)

OS 3200

Specifications:

- Format: 1/3 drawer
- Insert dimensions: 390x185x35mm
- DIN ISO 2725-3

32 PCS SCREWDRIVER BIT 1/4" SET

OS 3230

Spare part of OS 3200

SPHERICAL HEX KEY SET H1,5-10 (9 PCS)

OS 3220

Spare part of OS 3200/OS 3270

Material: SVCN steel

1/4" RATCHET 72 TEETH

OS 3211

Spare part of OS 3200/OS 3250/OS 3050/OS 3055



1/4"

MORE DETAILS

6.3

6-SIDED SOCKETS



SIZE	SHORT	LONG	REF
4mm	•		OS 3259
4.5mm	•		OS 3260
5mm		•	OS 3261
5.5mm	•		OS 3201
6mm	•		OS 3202
		•	OS 3262
7mm	•		OS 3203
		•	OS 3263
8mm	•		OS 3204
		•	OS 3264
9mm	•		OS 3205
		•	OS 3265
10mm	•		OS 3206
		•	OS 3266
11mm	•		OS 3207
		•	OS 3267
12mm	•		OS 3208
		•	OS 3268
13mm	•		OS 3209
		•	OS 3269
14mm	•		OS 3210

TORX+ SOCKETS



SIZE	SHORT	LONG	REF
EP6	•		SA 7086
EP7	•		SA 7087
EP8	•		SA 7088
EP10	•		SA 7089
EP11	•		SA 7090
EP12	•		SA 7091

SOCKETS BITS TS



SIZE	SHORT	LONG	REF
TS10	37mm		SA 0459
TS15	37mm		SA 0460
TS20	37mm		SA 0461
TS25	37mm		SA 0462
TS27	37mm		SA 0463
TS30	37mm		SA 0464
TS40	37mm		SA 0465
TS45	37mm		SA 0432
TS50	37mm		SA 0433







# 3/8" SOCKET & RATCHET

TN



## 3/8" RATCHET INSERT 21 PCS

OS 3600

### Contents:

- 14 hexagonal sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24mm
- ratchet 3/8" 72 teeth
- 2 extensions 150 and 250mm
- cv joint 3/8"
- sliding handle 3/8"
- 3/8"x1/2" increaser
- 10mm bit holder

### Specifications:

- Format: 1/3 drawer
- Insert dimensions: 390x185x35mm



Scan to see the complete composition!



## IMPACT SOCKET KIT 10-19mm 3/8" (8 PCS)

OS 3300



DIN ISO 2725-3

### Contents:

- OS3301: impact socket 10mm
- OS3302: impact socket 11mm
- OS3303: impact socket 12mm
- OS3304: impact socket 13mm
- OS3305: impact socket 14mm
- OS3306: impact socket 15mm
- OS3307: impact socket 17mm
- OS3308: impact socket 19mm



## 3/8"D.x1/2"D. INCREASER

OS 3620

Spare part of OS 3600/OS 3270



TN



## 1/2"D. x 3/8"D. REDUCER

OM 0047



TN





# 1/2" SOCKET & RATCHET

## 1/2" RATCHET INSERT (23 PCS)

OS 3000

**Contents:**

- 18 hexagonal sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm
- ratchet 1/2" 72 teeth
- 2 extensions 125 and 250mm
- cV joint 1/2"
- sliding handle 1/2"

**Specifications:**

- Format: 1/3 drawer
- Insert dimensions: 390x185x35mm
- DIN ISO 2725-3



TN



## 1/2" TORX PLUS SOCKETS EP10 TO EP20 L.37mm (6 PCS)

OM 7017

Specially designed for Torx Plus indentations, on automatic gearboxes, Nissan clutches and others.

More resistant to torsion, increased service life compared with classic Torx models.



Not compatible with Torx Classic indentations

TN



## TORX "E" SOCKET SET 1/2" D. E10 TO E24 (9 PCS)

OM 7013

**Contents:**

- OS3031: torx socket E10
- OS3032: torx socket E11
- OS3033: torx socket E12
- OS3034: torx socket E14
- OS3035: torx socket E16
- OS3036: torx socket E18
- OS3037: torx socket E20
- OS3038: torx socket E22
- OS3039: torx socket E24



TN



## 1/2" RACHET 72 TEETH

OS 3019

Spare part of OS 3000/OS 3050/OS 3055



TN

## 1/2" DRIVE L. 600MM FORCE HINGED HANDLE

OS 3024

**Specifications:**

- force hinged handle with replaceable head (SA3025)
- drive: 1/2"
- length: 600mm



TN





# SOCKET & RATCHET • 1/2" SOCKET & RATCHET

← FIND THE ALL 1/2" SOCKET & RATCHET RANGE HERE

## IMPACT SOCKET KIT 10-27mm 1/2" (10 PCS)

TN

OS 3100



10mm - 11mm - 13mm - 14mm - 17mm - 19mm - 21mm - 22mm - 24mm - 27mm



DIN ISO 2725-3



## IMPACT SOCKETS SET 1/2" D. L.76mm E10 TO E24 (9 PCS)

TN

OM 7047

E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24



DIN ISO 3121



## LONG HEX IMPACT SOCKET SET 10- 30mm 1/2" (13 PCS)

TN

OS 3130

10mm - 11mm - 12mm - 13mm - 14mm - 16mm - 17mm  
19mm - 21mm - 22mm - 24mm - 27mm - 30mm



DIN ISO 2725-3



## 1/2" IMPACT SOCKET BIT SET HUB AND CV JOINT (8 PCS)

TN

OM 7069

Reinforced bushings for cv joints and drive shafts.  
This kit is specially designed to loosen and retighten nuts and  
bolts with the impact wrench.

27mm - 30mm - 32mm - 34mm - 36mm



## 1/2"D. x 3/8"D. REDUCER

TN

OM 0047



## 3/8"D.x1/2"D. INCREASER

TN

OS 3620

Spare part of OS 3600/OS 3270



## 1/2"D.x3/4"D. INCREASER

TN

OM 0045



## 3/4"D. x 1/2"D. REDUCER

TN

OM 0044





# 1/2"

**MORE  
DETAILS**

12.5

## 6-SIDED SOCKETS



SIZE	SHORT	LONG	REF
8mm	•		OS 3001
10mm	•		OS 3002
11mm	•		OS 3003
12mm	•		OS 3004
13mm	•		OS 3005
14mm	•		OS 3006
		•	OS 3026
15mm	•		OS 3007
		•	OS 3027
16mm	•		OS 3008
17mm	•		OS 3009
		•	OS 3028
18mm	•		OS 3010
19mm	•		OS 3011
		•	OS 3029
20mm	•		OS 3099
21mm	•		OS 3012
22mm	•		OS 3013
23mm	•		OS 3014
24mm	•		OS 3015
27mm	•		OS 3016
30mm	•		OS 3017
32mm	•		OS 3018

## TORX SOCKETS



SIZE	SHORT	LONG	REF
E10	•		OS 3031
E11	•		OS 3032
E12	•		OS 3033
E14	•		OS 3034
E16	•		OS 3035
E18	•		OS 3036
E20	•		OS 3037
E22	•		OS 3038
E24	•		OS 3039

## TORX+ SOCKETS



SIZE	SHORT	LONG	REF
EP10	•		SA 7080
EP12	•		SA 7081
EP14	•		SA 7082
EP16	•		SA 7083
EP18	•		SA 7084
EP20	•		SA 7085

## IMPACT HEX SOCKETS



SIZE	SHORT	LONG	REF
10mm	•		OS 3101
		•	OS 3131
11mm	•		OS 3102
		•	OS 3132
12mm		•	OS 3133
13mm	•		OS 3103
		•	OS 3134
14mm	•		OS 3104
		•	OS 3135
16mm		•	OS 3136
17mm	•		OS 3105
		•	OS 3137
19mm	•		OS 3106
		•	OS 3138
21mm	•		OS 3107
		•	OS 3139
22mm	•		OS 3108
		•	OS 3140
24mm	•		OS 3109
		•	OS 3141
27mm	•		OS 3110
		•	OS 3142
30mm		•	OS 3143

## CARDAN SHOCK SOCKETS



SIZE	REF
10mm	SA 0488
11mm	SA 0489
12mm	SA 0490
13mm	SA 0491
14mm	SA 0492
15mm	SA 0493
16mm	SA 0494
17mm	SA 0495
19mm	SA 0496
21mm	SA 0497
22mm	SA 0498
24mm	SA 0499

## TORX-CHOC SOCKETS



SIZE	SHORT	LONG	REF
E10		•	OS 3111
E11		•	OS 3112
E12		•	OS 3113
E14		•	OS 3114
E16		•	OS 3115
E18		•	OS 3116
E20		•	OS 3117
E22		•	OS 3118
E24		•	OS 3119





# SOCKET & RATCHET • 1/2" SOCKET & RATCHET

← FIND THE ALL 1/2" SOCKET & RATCHET RANGE HERE

## 1/2" HEX SOCKET BIT SET (30 PCS)

OM 2335

### Contents:

- 9 sockets L.55mm:  
5, 6, 7, 8, 10, 12, 14, 17, 19mm
- 8 sockets L.100mm:  
5, 6, 7, 8, 10, 11, 12, 13mm
- 7 sockets L.140mm:  
5, 6, 7, 8, 10, 12, 14mm
- 6 sockets L.200mm:  
5, 6, 7, 8, 10, 12mm



Sockets available to retail customers



TN

## 1/2" D. IMPACT HEX BIT IMPACT SOCKET SET H4-H19 (9 PCS)

OM 7112

### Contents:

- SA0476: socket H4 L.78mm
- SA0477: socket H5 L.78mm
- SA0478: socket H6 L.78mm
- SA0479: socket H8 L.78mm
- SA0480: socket H10 L.78mm
- SA0481: socket H12 L.78mm
- SA0482: socket H14 L.78mm
- SA0483: socket H17 L.78mm
- SA0484: socket H19 L.78mm



Sockets available to retail customers



TN

## 1/2" TORX SOCKET BIT SET (32 PCS)

OM 2333

### Contents:

- 10 sockets L.55mm:  
T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
- 10 sockets L.100mm:  
T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
- 6 sockets L.140mm:  
T40, T45, T50, T55, T60, T70
- 6 sockets L.200mm:  
T40, T45, T50, T55, T60, T70



Sockets available to retail customers



TN

## IMPACT TORX® SOCKET SET 1/2" D. T20-T70 (9 PCS)

OM 7009

### Contents:

- SA7009: TORX® impact socket bit T20
- SA7012: TORX® impact socket bit T25
- SA7013: TORX® impact socket bit T30
- SA2352: TORX® impact socket bit T40
- SA7019: TORX® impact socket bit T45
- SA7023: TORX® impact socket bit T50
- SA7024: TORX® impact socket bit T55
- SA7025: TORX® impact socket bit T60
- SA7026: TORX® impact socket bit T70



Sockets available to retail customers



TN



TN

XZN 1/2" SOCKET BIT SET (26 PCS)

OM 2334



**Contents:**

- 8 sockets L.55mm:  
M5, M6, M8, M9, M10, M12, M14, M16
- 7 sockets L.100mm:  
M5, M6, M8, M9, M10, M12, M14
- 7 sockets L.140mm:  
M5, M6, M8, M9, M10, M12, M14
- 4 sockets L.200mm:  
M8, M10, M12, M14

Sockets available to retail customers



IMPACT RIBE WRENCH END SET 1/2" D.  
78mm M5-M14 (9 PCS)

OM 7113



Sockets available to retail customers

**Contents:**

- SA0450: Ribe impact socket bit M5 L.78mm
- SA0451: Ribe impact socket bit M6 L.78mm
- SA0452: Ribe impact socket bit M7 L.78mm
- SA0453: Ribe impact socket bit M8 L.78mm
- SA0454: Ribe impact socket bit M9 L.78mm
- SA0455: Ribe impact socket bit M10 L.78mm
- SA0456: Ribe impact socket bit M12 L.78mm
- SA0457: Ribe impact socket bit M13 L.78mm
- SA0458: 1/2"D Ribe impact socket bit M14 L.78mm





1/2"

MORE DETAILS 12.5



HEX

Table with columns: SIZE, SHORT, LONG, REF. Lists hex bit sockets from 5mm to 22mm in various lengths.



RIBE BIT SOCKETS

Table with columns: SIZE, SHORT, LONG, REF. Lists Ribe bit sockets from M5 to M16 in various lengths.



END SLEEVES HEXAGONAL SHOCK

Table with columns: SIZE, SHORT, LONG, REF. Lists hexagonal shock end sleeves from 4mm to 19mm.



END SLEEVES CHOC RIBE

Table with columns: SIZE, SHORT, LONG, REF. Lists choc Ribe end sleeves from M5 to M14.



TORX BIT SOCKETS

Table with columns: SIZE, SHORT, LONG, REF. Lists Torx bit sockets from T20 to T70 in various lengths.



XZN SOCKET BIT

Table with columns: SIZE, SHORT, LONG, REF. Lists XZN socket bits from M5 to M16 in various lengths.



BIT SOCKETS TORX SHOCK

Table with columns: SIZE, SHORT, LONG, REF. Lists Torx shock bit sockets from T20 to T70.



BIT SOCKETS CHOC XZN

Table with columns: SIZE, SHORT, LONG, REF. Lists choc XZN bit sockets from M12 to M16.



# 3/4" SOCKET & RATCHET

## HGV 3/4" SOCKET SET XZN 16-18 TORX T70-T100 (6 PCS)

TN

OM 2332

**Contents:**

- SA0470: Socket T70
- SA0471: Socket T80
- SA0472: Socket T90
- SA0473: Socket T100
- SA0474: Socket XZN M16
- SA0475: Socket XZN M18



## HEX IMPACT SOCKET KIT 26-38mm 3/4" (8 PCS)

TN

OS 3400

**Contents:**

- OS3401: impact socket 26mm
- OS3402: impact socket 27mm
- OS3403: impact socket 29mm
- OS3404: impact socket 30mm
- OS3405: impact socket 32mm
- OS3406: impact socket 35mm
- OS3407: impact socket 36mm
- OS3408: impact socket 38mm



DIN ISO 2725-3



## 3/4" LONG HEX IMPACT SOCKET SET 26-38mm (8 PCS)

TN

OS 3430

**Contents:**

- OS3431: 3/4" hex impact socket 26mm
- OS3432: 3/4" hex impact socket 27mm
- OS3433: 3/4" hex impact socket 29mm
- OS3434: 3/4" hex impact socket 30mm
- OS3435: 3/4" hex impact socket 32mm
- OS3436: 3/4" hex impact socket 35mm
- OS3437: 3/4" hex impact socket 36mm
- OS3438: 3/4" hex impact socket 38mm



DIN ISO 3129



## 1" D. 3/4" D. REDUCER

TN

OM 0043



## 3/4" D. x 1/2" D. REDUCER

TN

OM 0044



## 1/2" D. x 3/4" D. INCREASER

TN

OM 0045



## 3/4" D. x 1" D. INCREASER

TN

OM 0033







# SOCKET & RATCHET • 3/4" SOCKET & RATCHET

← FIND THE ALL 3/4" SOCKET & RATCHET RANGE HERE

## RATCHET + 10 DOUBLE HEX SOCKET SET 3/4" D. 22-50mm

TN

OM 2355BL

### Contents:

- OS3411: double hex socket 22mm
- OS3412: double hex socket 24mm
- OS3413: double hex socket 27mm
- OS3414: double hex socket 30mm
- OS3415: double hex socket 32mm
- OS3416: double hex socket 36mm
- OS3417: double hex socket 38mm
- OS3418: double hex socket 41mm
- OS3419: double hex socket 46mm
- OS3420: double hex socket 50mm
- OS3421: 3/4" ratchet
- OS3422: extension 100mm
- OS3423: extension 200mm
- OS3424: CV joint
- OS3425: sliding T handle



**B.LINE**  
BUDGET SOLUTION



## 3/4" RATCHET L.495mm

TN

OS 3421

Spare part of OM 2355/OM 2355BL



## 3/4" DRIVE L. 950MM FORCE HINGED HANDLE

TN

OS 3426

**+** Maximum leverage effect



### Specifications:

- force hinged handle with replaceable head (SA3026)
- drive: 3/4"
- length: 950mm



## 3/4" D. DOUBLE HEX SOCKET Ø56mm FORD TRANSIT

TN

OM 0156



## ★ TOP PRODUCT

TN

## HUB WRENCH DOUBLE HEX Ø65mm 3/4" IVECO DAILY/FORD TRANSIT

OM 0065





# 1" SOCKET & RATCHET

## HEX IMPACT SOCKET KIT 24-50mm 1" (9 PCS)

TN

OS 3500

DIN ISO 2725-3



**Contents:**

- OS3501: impact socket 24mm
- OS3502: impact socket 27mm
- OS3503: impact socket 30mm
- OS3504: impact socket 32mm
- OS3505: impact socket 35mm
- OS3506: impact socket 38mm
- OS3507: impact socket 41mm
- OS3508: impact socket 46mm
- OS3509: impact socket 50mm



## 1" LONG HEX IMPACT SOCKET SET 24-50mm (9 PCS)

TN

OS 3530

**Contents:**

- OS3531: 1" long hex impact socket 24mm Length 90mm
- OS3532: 1" long hex impact socket 27mm Length 90mm
- OS3533: 1" long hex impact socket 30mm Length 90mm
- OS3534: 1" long hex impact socket 32mm Length 90mm
- OS3535: 1" long hex impact socket 35mm Length 90mm
- OS3536: 1" long hex impact socket 8mm Length 95mm
- OS3537: 1" long hex impact socket 41mm Length 95mm
- OS3538: 1" long hex impact socket 46mm Length 95mm
- OS3539: 1" long hex impact socket 50mm Length 100mm



DIN ISO 3129



## RATCHET HANDLE+HEX SOCKETS SET 1" D. FOR HGV 36-80mm (15 PCS)

TN

OM 2354BL

**B.LINE**  
BUDGET SOLUTION

**Contents:**

- OS3511: hex socket 36mm
- OS3512: hex socket 38mm
- OS3513: hex socket 41mm
- OS3514: hex socket 46mm
- OS3515: hex socket 50mm
- OS3516: hex socket 55mm
- OS3517: hex socket 60mm
- OS3518: hex socket 65mm
- OS3519: hex socket 70mm
- OS3520: hex socket 75mm
- OS3521: hex socket 80mm
- OS3522: ratchet
- OS3523: extension 190mm
- OS3524: extension 365mm
- OS3525: sliding T handle



## 1" RATCHET

TN

OS 3522

Spare part of OM 2354/OM 2354BL

**Specifications:**

- overall length: 65.5cm
- handle length: 12.5cm





# SCREWDRIVERS

TN




## DIAMOND SCREWDRIVER INSERT PH-SLOTTED (8PCS)

OS 1200

## 8 PCS PH - FLAT DIAMOND SCREWDRIVER

OS 1201

**NEW**



Diamond powder-treated tip = High breaking strength

**Contents:**

- OS1209: PH2x125mm screwdriver
- OS1208: screwdriver PH1x38mm
- OS1207: PH0x75mm screwdriver
- OS1206: slot screwdriver 8x200mm
- OS1205: slotted screwdriver 6.5x150mm
- OS1204: slotted screwdriver 5.5x100mm
- OS1203: slotted screwdriver 5.5x38mm
- OS1202: slotted screwdriver 3x75mm

**+** High breaking strength



S2 blade = high twisting power



## 7 PCS T10-40 DIAMOND TORX SCREWDRIVER INSERT

OS 1210

## 7 PCS T10-40 TORX SCREWDRIVER

OS 1211




Insert dimensions: 390x190x35mm

**Contents:**

- OS1212: screwdriver T10x100mm
- OS1213: screwdriver T15x100mm
- OS1214: screwdriver T20x100mm
- OS1215: screwdriver T25x100mm
- OS1216: screwdriver T27x100mm
- OS1217: screwdriver T30x100mm
- OS1218: screwdriver T40x100mm



Triangular bi-material handle





SCREWDRIVER+BIT SET (114PCS)

OS 1030BL



**Contents:**

- 6 slotted screwdrivers (3x75, 5x75, 5X100, 6x100, 6x150, 8x150)
- 5 Phillips screwdrivers (0x75,1x75, 1x100, 2x100, 2x150)
- 3 Torx screwdrivers (T10x75, T15x75, T20x75)
- 2 square screwdrivers (S1x75, S2x100)
- 1 bit holder
- 48 bits 6mm : Flat 3-4-4.5-5.5-6-7-8-2xPH0-2xPH1-2xPH2-2xPH3-2xPZO-2xPZ1-2xPZ2-2xPZ3-T6-T8-T10-T15-T20-T25-T27-T30-T35-T40-H1.5-H2.5-H3-H3.5-H4-H4.5-H5-H5.5-H6-H8-S0-S1-S2-S3
- 16 hex wrenches: 1.5-2-2.5-3-4-5-5.5-6mm (1/16",5/64",3/32", 1/8", 5/32", 3/16", 7/32",1/4")
- 20 precision bits: 2x1-2x1.5-2x2mm (2xPH000-2xY000-2xTE0.8-2xTE1.2-2xT4-2xT5-2xT6)
- 6 sockets: 6-7-8-9-10-11
- 6 precision screwdrivers 2.5x40, 3.0x40, PH00x40, PH0x40, T6x40, T8x40mm
- 1 precision bit holder: S3



FLEXIBLE HOSE CLAMP DRIVER 6-7mm

OM 0950



**Specifications:**

- hose length: 200mm
- handle length: 120mm
- reversible socket 6 and 7mm



14 BIT IMPACT SCREWDRIVER SET

OM 0679



**Bits:**

- slotted 5-6-8-10-12mm
- hex 4-5-6-8mm
- phillips 1-2-3-4
- torx 40






# T-HANDLE




## HEX T-HANDLE WRENCH INSERT 3-10mm (7 PCS)

OS 2000

Format: 1/3 drawer  
Insert dimensions: 390x185x50mm  
PP+TPV ergonomic dual material handle  
DIN ISO 2396



TN



+  
SVCN steel blade

**Contents:**

- OS2001: T handle screwdriver H3x110
- OS2002: T handle screwdriver H4x110
- OS2003: T handle screwdriver H5x110
- OS2004: T handle screwdriver H6x160
- OS2005: T handle screwdriver H7x160
- OS2006: T handle screwdriver H8x200
- OS2007: T handle screwdriver H10x215



## SPHERICAL HEX KEY SET H1,5-10 (9 PCS)

OS 3220

Spare part of OS 3200/OS 3270



**Contents:**

- OS3221: spherical hex key H1,5
- OS3222: spherical hex key H2
- OS3223: spherical hex key H2,5
- OS3224: spherical hex key H3
- OS3225: spherical hex key H4
- OS3226: spherical hex key H5
- OS3227: spherical hex key H6
- OS3228: spherical hex key H8
- OS3229: spherical hex key H10



TN

## TS 7 KEY SET TS10-TS15-TS20- TS25-TS27-TS30-TS40

OM 7005

These 5 star bits are for brands: Renault, Peugeot, Mercedes, Rover and diesel injection pumps.



TN





# SCREW BIT

## SCREW BIT SET (100 PCS)

OM 0655BL

**B.LINE**  
BUDGET SOLUTION

**Contents:**

- 1 magnetic bit holder
- 1 Y adapter
- 1 male adaptor/male square 1/4" hexagonal
- 1 female adaptor/female square 1/4" hexagonal
- 1 socket bit holder 1/4"
- 95 L.25mm bits:
  - Phillips: 0-1-2(x5)-3
  - Pozidrive: 0-1-2(x5)-3
  - Square: R0-1-2-3
  - Flat: 3-4-4.5-5-5.5-6-6.5-7-8
  - Torx: T8-10-15-20-25-27-30-40-45

- Tamperproof Torx: T8-10-15-20-25-27-30-35-40
- Metric hexagonal: H1.5-2-2.5-3-4-5-5.5-6-8
- Hexagonal inch: H1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4
- Tamperproof metric hexagonal: HT2-2.5-3--4-5-6
- Tamperproof hexagonal inch: HT5/64-3/32-7/64-1/8-9/64-5/32
- XZN: M5-6-8
- Tri-wings: TW1-2-3-4
- wrench: SN4-6-8-10
- Clutch: CG1-2-3



TN



## 32 PCS SCREWDRIVER BIT 1/4" SET

OS 3230

Spare part of OS 3200

**Contents:**

- 30 screwdriver bits:
  - Pozidrive: PZ1, PZ2 (x2), PZ3
  - Phillips: PH1, PH2 (x2), PH3
  - Slotted: 3, 4, 5, 6
  - Hexagonal: H3, H4, H5, H6
  - Torx: T10, T15, T20, T25, T27, T30, T40
  - Torx tamper: T10, T15, T20, T25, T27, T30, T40
- 1 magnetic socket bit holder 1/4"
- 1 bit holder adaptor for screwers



TN



## SPECIAL BIT INSERT (43PCS)

OS 6000

**Specifications:**

- Format: 1/3 drawer
- Insert dimensions: 390x185x35mm
- DIN ISO 1173
- DIN ISO 3126

**Contents:**

- 7 short sockets L.30mm 1/4"
  - Pozidrive: PZ1, PZ2, PZ3
  - Hexagonal: H4, H5, H6, H7
- 14 short sockets L.30mm drive 10mm
  - Hexagonal: H8, H10
  - Torx tamper: T10, T15, T20, T25, T30, T35
  - Torx: T45, T50, T55
  - XZN: M6, M8, M10
- 20 long sockets L.75mm drive 10mm
  - Hexagonal: H4, H5, H6, H7, H8, H10
  - Torx tamper: T10, T15, T20, T25, T30, T40
  - Torx: T30, T40, T45, T50
  - XZN: M5, M6, M8, M10
- socket bits holder 1/4", square drive 1/4"
- socket bits holder 10mm, square drive 1/2"



TN





### BITS SET



SIZE	DESIGNATION	REF
+	5 BITS SET 1/4" SHORT PZ1	OS 6002
	5 BITS SET 1/4" SHORT PZ2	OS 6003
	5 BITS SET 1/4" SHORT PZ3	OS 6004
6	5 SCREWDRIVER BITS SET 1/4" H3	OS 3238
	5 BITS SET 1/4" SHORT H4	OS 6005
	5 BITS SET 1/4" SHORT H5	OS 6006
+	5 BITS SET 1/4" SHORT H6	OS 6007
	5 BITS SET 1/4" SHORT H7	OS 6008
	5 SCREWDRIVER BITS SET 1/4" PH1	OS 3231
+	5 SCREWDRIVER BITS SET 1/4" PH2	OS 3232
	5 SCREWDRIVER BITS SET 1/4" PH3	OS 3233
	5 SCREWDRIVER SLOTTED 3 BITS SET 1/4"	OS 3234
-	5 SCREWDRIVER SLOTTED 4 BITS SET 1/4"	OS 3235
	5 SCREWDRIVER SLOTTED 5 BITS SET 1/4"	OS 3236
	5 SCREWDRIVER SLOTTED 6 BITS SET 1/4"	OS 3237
+	5 SCREWDRIVER BITS SET 1/4" T10	OS 3239
	5 SCREWDRIVER BITS SET 1/4" T15	OS 3240
	5 SCREWDRIVER BITS SET 1/4" T20	OS 3241
+	5 SCREWDRIVER BITS SET 1/4" T25	OS 3242
	5 SCREWDRIVER BITS SET 1/4" T27	OS 3243
	5 SCREWDRIVER BITS SET 1/4" T30	OS 3244
+	5 SCREWDRIVER BITS SET 1/4" T40	OS 3245
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T10	OS 3246
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T15	OS 3247
+	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T20	OS 3248
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T25	OS 3249
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T27	OS 3251
+	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T30	OS 3252
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T40	OS 3253

### TORX BITS



SIZE	SHORT	LONG	REF
T20	•		SA 2317
		•	SA 2340
T25	•		SA 2318
		•	SA 2341
T30	•		SA 2319
		•	OS 6035
T40	•		SA 2320
		•	OS 6036
T45	•		OS 6017
		•	OS 6037
T50	•		OS 6018
		•	OS 6038
T55	•		OS 6019
		•	SA 2346
T60		•	SA 2347
	•		SA 2324

### XZN BITS



SIZE	SHORT	LONG	REF
M5	•		SA 2312
		•	OS 6039
M6	•		OS 6020
		•	OS 6040
M7	•		OS 6021
		•	OS 6041
M8	•		OS 6022
		•	OS 6042
M9		•	SA 2316
	•		SA 2339

### HEX BITS



SIZE	SHORT	LONG	REF
H4	•		SA 2325
		•	OS 6023
H5	•		SA 2326
		•	OS 6024
H6	•		SA 2327
		•	OS 6025
H7	•		SA 2328
		•	OS 6026
H8	•		OS 6009
		•	OS 6027
H10	•		OS 6010
		•	OS 6028
H12	•		SA 2331
		•	SA 2353

### TORX BITS DRILLED



SIZE	SHORT	LONG	REF
T10	•		OS 6011
		•	OS 6029
T15	•		OS 6012
		•	OS 6030
T20	•		OS 6013
		•	OS 6031
T25	•		OS 6014
		•	OS 6032
T30	•		OS 6015
		•	OS 6033
T40	•		OS 6016
		•	OS 6034

### FLAT BITS



SIZE	SHORT	LONG	REF
P02	•		SA 2334
P03	•		SA 2335





# PLIERS

TN



## PLIER INSERT (4 PCS)

OS 5000

**Specifications:**

- Format: 1/3 drawer
- Insert dimensions: 390x185x50mm

**+** Lifetime warranty

## 4 PLIERS SET

OS 5099



### COMBINATION PLIERS L.180mm

OS 5003

Steel 1060 high durability  
TPE+TPR Gained handle  
DIN ISO 5746 standard



### CUTTING PLIERS L.160mm

OS 5001

Capacity: Ø2-4mm wires  
Steel 1060 high durability  
TPE+TPR Gained handle  
DIN ISO 5749 standard



### LONG-NOSED PLIERS L.200mm

OS 5002

Steel 1060 high durability  
TPE+TPR Gained handle  
DIN ISO 5745 standard



### ADJUSTABLE PLIERS L.250mm

OS 5004

7 positions  
Max opening: 42mm  
Steel 1060 high durability  
TPE+TPR Gained handle  
DIN ISO 8976 standard







# PLIERS

← FIND THE ALL **PLIERS** RANGE HERE

## 4PCS CIRCLIP PLIER INSERT 178mm INSIDE-OUTSIDE

TN

OS 5200

### Features:

- invisible spring
- material: body: S45C
- 48-52HRC bearing steel
- high tensile strength 52HRC tips

- bolted joint
- DIN ISO 5254 (Exterior) and ISO 5256 (Interior)

**+** High resistance tips



CURVED PLIER EXTERNAL CIRCLIP 178mm

OS 5203



STRAIGHT PLIER EXTERNAL CIRCLIP 178mm

OS 5202



STRAIGHT PLIER INNER CIRCLIP 178mm

OS 5201



CURVED PLIER INNER CIRCLIP 178mm

OS 5204



## QUICK-ADJUSTING HGV WATER PUMP PLIER 300mm

TN

OS 5005

### Specifications:

- 32-position knob-type adjustment
- max. opening 70mm
- high-strength 58HRC steel
- standard DIN ISO 896



## 2 PCS HGV CIRCLIP SET (INTERIOR-EXTERIOR)

TN

OM 0111

**+** Maximum opening: 75mm

### Specifications:

- simple to adjust using the stand
- 3 pairs of interchangeable end fittings for each set
- length 420mm
- max. opening: 75mm





# HAMMERING TOOLS

## HAMMERING INSERT (10 PCS)

OS 0850

**Contents:**

- OM0160: rivet hammer with composite handle
- OM0170: 32mm interchangeable nozzle mallet
- OM0803: automatic punch
- OM0801: set of 6 pin-chasers
- OM0800: extra-flat chisel



TN



## DEAD BLOW HAMMER WITH INTERCHANGEABLE TIP 32mm

OM 0170

**Specifications:**

- nylon shore 100+92
- ash handle
- length 300mm
- head length 93mm
- complies with DIN 1195 (for the eye) and DIN 5111 (for the handle)



SA 1073 INTERCHANGEABLE TIP 32mm POLYURETHANE

SA 1070 2 INTERCHANGEABLE TIPS 32mm NYLON

TN



## RIVOIR HAMMER COMPOSITE HANDLE 1000gr

OM 0160

handle length: 360mm

**Specifications:**

- Complies with DIN 1195 (for the eye), DIN 1193 (for the tram).



TN



## RIVOIR HAMMER ASH TREE HANDLE 1500gr

OM 0161

handle length: 360mm

**Specifications:**

- complies with DIN 1195 (for the eye), DIN 1193 (for the tram) and DIN 5111 (for the handle)
- ash handle length 360mm with nylon protection sleeve
- square strike 44mm
- weight: 1,5kg



TN



## RUBBER HAMMER 300mm 540g

OM 0540



**Specifications:**

- handle: wood
- head: rubber Ø57mm
- length: 300mm



TN

## FORGED STEEL HAMMER 1250g

OM 0125

handle length: 260mm

**Specifications:**

- C45 forged steel with HRC50-58 hardness
- chamfered edges
- ergonomic handle with rubber grip
- length: 260mm
- weight: 1250g



TN





# HAMMERING TOOLS

← FIND THE ALL HAMMERING TOOLS RANGE HERE

## ANTI-REBOUND HAMMER 4.5kg L.900mm

TN

OM 0135



Allows HGV wheels to be detached when they are stuck to the hub.

**Specifications:**

- anti-rebound technology
- plastic handle L.780mm
- head dimensions: L .180xW.105xH.105



## 13 PCS HOLLOW PUNCH SET Ø5-Ø35mm

TN

OM 0581



**Contents:**

- Supplied in a box
- die holder
- cookie cutters Ø5-6-8-10-11-13-16-19-22-25-28-32-35mm



## HOLLOW PUNCH SET Ø3-Ø16mm

TN

OM 0580



**Contents:**

- Supplied in nylon sleeve.
- Ø3-4-5-6-8-9-10-11-12-13-14-16mm



TN



### 9 LETTER PUNCH SET DIN 8mm

EG 5033

### 9 LETTER PUNCH SET DIN 10mm

EG 5031



### 27 LETTER PUNCH SET DIN 8mm

EG 5032

### 27 LETTER PUNCH SET DIN 10mm

EG 5030





HGV PUNCH SET (4PCS)

TN

OM 0804

Standards: NFE 71211, DIN 7255

- Ø10x300mm
- Ø12x300mm
- Ø14x300mm
- Ø16x300mm

Chrome vanadium steel with ergonomic anti-vibration handle.



5 PUNCH SET WITH INSERTED BLADE

TN

OM 0802

Standards: NFE71211, DIN 7255

- Ø3x125mm
- Ø4x150mm
- Ø5x165mm
- Ø6x180mm
- Ø8x200mm

Chrome vanadium blade with ergonomic & anti-vibration handle.



AUTOMATIC PUNCH

TN

OM 0803

Spring-loaded trigger lets you punch metal without using a hammer. Use the knob to adjust the impact force.

Length: 143mm  
36kg impact force



6 PIN DRIVER SET WITH BASE

TN

OM 0801

Ø3-4-5-6-8-10mm  
Length: 150mm

Norms NFE 71211, DIN 6450C



EXTRA LONG BRASS DRIFT 250X20mm

TN

OM 0810

Complies with Standard EN 13463-1





## HAMMERING TOOLS

← FIND THE ALL **HAMMERING TOOLS** RANGE HERE

TN

### EXTRA FLAT SPLITTING CHISEL

OM 0800

Extra flat splitting chisel - Chrome vanadium steel, can be resharpened.

Standards:  
DIN 5463



Length: 240mm  
Width: 26mm  
Thickness: 7mm



### FLAT CHISEL

OM 0805

Chrome vanadium steel, can be resharpened.

Norms: DIN 6453



Length: 300mm  
Width: 23mm  
Thickness: 13mm



### LEVER SET WITH STRIKE DISK (4 PCS)

OM 0258

TN



#### Contents:

- SA0242: lever with strike disk L.200mm
- SA0243: lever with strike disk L.300mm
- SA0244: lever with strike disk L.450mm
- SA0246: lever with strike disk L.600mm





# TORQUE WRENCHES

TORQUE WRENCH 1/2" 40-210Nm 450mm

OM 0790BL

**+** Delivered with calibration certificate

TN

**B.LINE**  
BUDGET SOLUTION



## TORQUE WRENCHES

TN

High precision torque wrench in Newton meter, graduated in decimal with precision of 1 in 1.  
The wrench also works for reverse pitch torque.  
The audible click is easily recognizable when the set value is reached.  
The spring-loaded setting ring automatically locks in the desired torque value.  
No risk of losing the value during use.  
The 72-tooth reversible ratchet allows for a short adjustment, with push-button locking of the sockets.



72-tooth ratchet

Automatic locking



**+** Delivered with calibration certificate

REF	Drive	Tightening torque	Length	Weight	Precision	Reading
OM 0791	1/4"	1-6 Nm	197 mm	260 g	+/- 3% (tightening)	0.05 -> 0.05
OM 0794	1/4"	5-25 Nm	240 mm	320 g		0.25 -> 0.25
OM 0795	3/8"	10-60 Nm	295 mm	410 g		0.5 -> 0.5
OM 0796	3/8"	20-120 Nm	420 mm	1000 g		1 -> 1
OM 0792	1/2"	40-220 Nm	525 mm	1150 g	+/- 6% (loosening)	1 -> 1
OM 0793	3/4"	100-600 Nm	1000 mm	4890 g		2.5 -> 2.5
OM 0797	1"	300-1500 Nm	1000 mm + 800 mm	6700 g		1 -> 1





# TORQUE WRENCHES • 1/2" TORQUE WRENCHES

← FIND THE ALL 1/2" TORQUE WRENCHES RANGE HERE

## TELESCOPIC L-SHAPED WRENCH 1/2"

OM 0764BL

### Specifications:

- length: 365-530mm
- holds sockets in place using ball bearings



**B.LINE**  
BUDGET SOLUTION

TN



## 120Nm PRESET 1/2" D. TORQUE WRENCH

OM 0765

Essential for tightening wheels: thanks to its preset torque, the operator does not waste time.

The torque wrench is 375mm long and has a 105° angle for a quick tightening of studs. It makes a click sound when torque is reached.

### Specifications:

- release accuracy ± 4%
- weight: 825g
- length: 375mm



**+** Delivered with calibration certificate

DIN ISO standard: 6789

TN



## 1/2" D. ANGLE WRENCH WITH MAGNETIZED ARM

OM 0750



TN



## TORQUE WRENCH WITH INTERCHANGEABLE HEADS 3/8" D. 30-110Nm 331mm

OM 0784



**+** Delivered with calibration certificate



Heads: 10-11-12-13-14-15-16-17-18-19  
Conform DIN ISO 6789 2017-1



TN





# MEASUREMENT & CONTROL

TN



## MEASURING TOOLS INSERT (6PCS)

AC 0000

Metrology composition for measurement and precision. It includes the measuring tools used for specific applications (bore, bearings, valve pads, cylinders...)  
The module of the foam insert allows an optimal storage of the tools.

**Specifications:**

- Format: 1/3 drawer
- ruler: 150mm
- scribing tip: 146mm
- depth gauge: 200mm
- square: L.100Xl.70mm
- caliper: 150mm
- micrometer 0-25mm

**Contents:**

- AC0513: caliper
- AC0517: micrometer
- AC0002: depth gauge 200mm
- AC0003: square 100X70mm
- AC0004: tracing point
- AC0005: ruler 150mm



## CALIPER TOOL

AC 0513

Spare part of AC 0000



**Specifications:**



- from 0 to 150mm
- resolution 1/20mm
- depth gauge
- locking knob

TN



## DIGITAL CALIPER

AC 0511



**Specifications:**

- from 0 to 150mm
- resolution: 0.01mm
- reset in any position
- battery LR44 supplied


TN



## MICROMETER 0-25mm

AC 0517

Spare part of AC 0000



## MICROMETER 25-50mm

AC 0528



TN







## CUTTER & SCRAPER

← FIND THE ALL CUTTER & SCRAPER RANGE HERE

TN

### COMPARATOR+MAGNETIC BASE PACK

AC 0520

**+** Delivered with  
calibration  
certificate



COMPARATOR WITH  
WORKING RANGE  
0-30mm

AC 0514

MAGNETIC BASE  
FOR COMPARATORS

AC 0515



#### Comparator specifications (AC0514):

- measurement range 0 to 30mm
- travel/turn: 1mm
- resolution 0,01mm
- chromed-steel case Ø57mm
- fixing rod Ø8mm
- point zero locking screw

#### Magnetic base specifications (AC0515):

- joint locking
- magnetic base, attraction strength 80kg
- height: 235mm
- vertical stalk Ø12mm
- weight: 1,850kg

#### Contents:

- AC0514 : 1 x comparator with working range 0-30mm
- AC0515 : 1 x magnetic base for comparators



### SCRAPER AND UTILITY KNIFE SET

OC 0302



#### Contents:

- 1 cutter
- 5 straight blades 12mm (OC5301)
- 5 straight blades 16mm (OC5302)
- 5 straight blades 20mm (OC5303)
- 5 bevelled blades 16mm (OC5304)
- 5 trapezoidal blades (OC5305)



### SCRAPER WITH HANDLE + 100 BLADES

OC 0303



#### Contents:

- OC0304 : 1 x scraper with handle
- OC5497 : 1 x 100 scraper blade set

Blade width: 38mm  
Blade height: 19mm



### RETRACTABLE SCRAPER + 100 BLADES

OC 0306



#### Contents:

- OC0305 : 1 x retractable scraper
- OC5497 : 1 x 100 scraper blade set

Blade width: 38mm  
Blade height: 19mm

