

Celection WITER

FROM JANUARY 1ST TO MARCH 31ST 2025



DOUBLE HEADBAND HEADLAMP

OE 0199BL





Buy x1

€VAT Excl.*

Buy x12

€VAT Excl. Instead of 23 €VAT Excl.*

The unit























TN

WORKSHOP HAND LAMP

OE 0099BL



Overhead lighting



Pocket clip and hook











Buy x1

€VAT Excl.*

Buy x12

164 mm

€VAT Excl.

Instead of 23 €VAT Excl.* The unit

















MINI HAND **LAMP**

OE 0299



Overhead lighting

















2 MODES 100%/50%



€VAT Excl.

Instead of 23 €VAT Excl.*

TN















RECHARGEABLE RAMP 1200LUMENS

OE 0179

The light ramp is quick and easy to install, so you can work hands-free under the hood or in the passenger compartment.



€VAT Excl.

Instead of 99 €VAT Excl.*




Two choices: Powerful lighting: 1200Lumens Soft lighting: 400Lumens
















OE 0499





€VAT Excl. Instead of 34 €VAT Excl.*















180°



OE 0312





Face protection against thermal effects and flash, consequences of electric arcs.



MARKING/WORK AREA SIGNALING SET

EG 0012

TN









Instead of 699 €VAT Excl.*

E-MOBILITY ELECTRIC/HYBRID **VEHICLE SET**

OE 0377

This kit is dedicated to professionals working on specific jobs.

Dedicated to tow trucks, wreckers/recyclers, technical control, firefighters.



OE 0840



OE 0844



OE 0564



OE 0563



EG 0031

OE 0764



EG 3120

- OE0840: 1000V insulated tool set for hybrid and electric vehicles (27pcs)
- OE0764: 660mmx360mm self-gripping insulating mat
- OE0844 (x4): insulated fixing clamp
- OE0562: lockout bag
- OE0564: lockout padlock
- OE0563: locking disc
- EG0031: hazard steering wheel cover
- EG3120: wheeled case



OE 0562



CECIONINTER

ELECTRIC/HYBRID VEHICLE UNDER VOLTAGE OPERATION SET

OE 0378

This kit is dedicated to professionals involved in live electrical

Dedicated to consignment supervisors, body repairers/ painters, diagnostic technicians, paint strippers/recyclers, etc.














OF 0660



OF 0683



OE 0850

OE 0870

OE 0880

Contents:

- EG0076: 4-drawer trolley + 1 PL box
- OE0660: 1/4" insulated ratchet and socket inserts (46 pcs)
- OE0683: insulated flat wrench insert (15 pcs)
- OE0820: 3/8" insulated ratchet and socket inserts (14 pcs)
- OE0850: insulated 12-sided offset wrench inserts (11 pcs)
- OE0870: insulated pliers insert (4 pcs)
- OE0880: insulated screwdriver inserts (7 pcs)
- EG0080 (x2): foam storage box

CHARGING CABLE T2-T2 22kW 5m

OE 2043



€VAT Excl. Instead of 229 €VAT Excl.*

TN



NO WARRANTY



- 22KW
- 32 A • 3 phases
- length: 5m
- plug: type 2



2 COLUMNS ASYMETRIC POST LIFT WITH BASEMENT 400V 4T 2ARMS 1.10+1.50m

PE 2100T

LOW PASSAGE

€VAT Excl.



FREE TRANSPORT COST



Low clearance: 40 mm. Easy assembly and alignment of frame-mounted columns.

Specifications:

- lifting height: 100-2100mm
- lifting time: +/- 50s • lowering time: +/- 30s
- drive power: 2.2kW
- drive voltage: 400V/50 V/Hz
- adjustable screw buffers, stroke 70-140mm
- automatic release of safety catches
- emergency lowering system in the event of power failure
- system synchronization: by cable
- intermediate stop 20 cm above ground for user safety and anticrushing audible signal
- engine protection
- door protection on columns
- ullet 230V electrical socket on electrical box
- protective strip for cylinder, chain and cables included on each column
- supplied with 4x70mm risers and brackets
- Epoxy paint



















€VAT Excl.

Selection INTER

MOBILE SCISSOR LIFT DUAL **CYLINDER LOW RAISE 230V 3T**

PE 6102M

Especially adapted to painting, bodywork and brake and tyre service activities. Easy access: 115mm lowered floor clearance, lockable access ramps to extend platforms. Working comfort: easy to move thanks to removable wheels and traction handle. Easy storage of components on the console.





Electric rack locking, no pneumatic power supply required















DOUBLE SCISSOR LIFT 400V 3.6T LOW PROFILE ON/IN-GROUND

PE 6236T

Especially adapted to painting, bodywork and brake and tyre service activities.

Installation possibilities: in or on ground.

Easy access: 110mm lowered floor clearance, lockable access ramps to extend platforms.

Maximum comfort and safety: double hydraulic master-slave safety system, combined with a rack and pinion system, to maintain the lift in position for long periods.


€VAT Excl.



FREE TRANSPORT COST



Rack and pinion safety



















EXTRA FLAT TROLLEY JACK 2T 85mm

OH 5304

Specifications:

- rotating saddle
- safety overload system
- h. min.: 85mm • h. max.: 381mm
- dimensions: 560x212x145mm
- weight: 13kg















€VAT Excl.

Instead of 99 €VAT Excl.*



EXTRA FLAT TROLLEY JACK 3T 75mm

OH 7014



Double pump: rapid rise





Approach pedal

Extra low

profile





- foot pedal
- control lowering system
- safety overload system
- swiveling rubber saddle
- fast lifting dual pump system
- foam protection on handle
- PU front and rear wheels
- h. min: 75mm
- h. max: 510mm
- dimensions: 740x350x230mm
- weight: 32.5kg



















TN

PAIR OF 2T JACK STANDS WITH SECURITY PIN

OM 3002BL

























SelectionINTER

DUAL-CONTROL HYDRAULIC PRESS 30T SLIDING CYLINDER

OH 0931











• hydraulic pump

- manual override or hydropneumatic pedal
- \bullet chrome piston with adjusting screw
- sliding cylinder jack with handle and rating scale
- polycarbonate protection to protect the operator from splinters
- table height adjustable 12 positions
- winch-assisted up and down movement of the table
- 2 oversized pins to hold the table in place
- 226x136x55mm sliding drip tray
- large manometer
- reversible V-shaped support block, including punch kit and protective polycarbonate









UNIVERSAL 20-30T PRESS SUPPORT STRUCTURE

OH 0833

Ensures that the part under the press is stable and held in place. Allows the height to be adjusted and the part to be precisely positioned.









DRY AND WET VACUUM **CLEANER 2x1000W**

EG 0040









- stainless steel tank mounted on a 4-wheel dolly
- 2 motors of 1000W each
- 80l tank Ø420mm
- drain on 500mm tank
- pressure: 21kPa • air flow: 108l/s
- sound level: 73dB
- power supply 230V 4m cable
- power: 2000W
- dimension (lengthxdepthxheight): 540x595x940mm

















€VAT Excl.

Instead of 249 €VAT Excl.*

TN

PARALLEL JAW CLAMPS 150mm QUICK TUBE HOSE APPROACH

OM 4066

Releasable jaw system allowing you to make adjustments to the jaw immediately.

Specifications:

- jaw width: 150mm • jaw height: 20mm
- opening: 180mm
- interchangeable steel jaws
- supplied with revolving base with 3 anchoring points
- weight: 24kg





6 DRAWERS + 154 TOOL **ROLLER CABINET**

EG 6154













OS 3000







OS 5000

OS 6000

OS 3200

€VAT Excl.

Instead of 44 €VAT Excl.*



















7 PCS T-HANDLE WRENCH **INSERT TORX T10-T40**

OS 2100







Format: 1/3 drawer Insert dimensions: 390x185x50mm PP+TPV ergonomic dual material handle





7 PCS TORX SCREWDRIVER INSERT T10-40

OS 1100











REPAIR BAG 4 INSERTS 103 TOOLS

EG 3111











€VAT Excl.

Instead of 319 €VAT Excl.*

Contents:

- EG3110: tool bag with shoulder strap
- OS3000: 1/2" ratchet inserts (23pcs)
 OS3200: 1/4" ratchet inserts (59pcs)
- OS5000: pliers insert (4pcs)
- OS4100: 6-24mm combination wrench inserts (17pcs)

REPAIR CASE 6 INSERTS 115 TOOLS

EG 3121





- EG3120: wheeled case
- OS3000: 1/2" ratchet insert (23pcs)
- OS3200: 1/4" ratchet insert (59pcs)
- OS5000: pliers insert (4pcs)
- OS4100: 6-24mm combination wrench inserts (17pcs)
- OS5200: circlip pliers insert 178mm inside-outside (4pcs)
- OS1200: PH-slot diamond screwdriver insert (8pcs)















TN

REPAIR BACKPACK **139 TOOLS**

EG 3131





- EG3120: wheeled case
- OS3000: 1/2" ratchet insert (23pcs) • OS3200: 1/4" ratchet insert (59pcs)
- OS5000: pliers insert (4pcs)
- OS4100: 6-24mm combination wrench inserts (17pcs)
- OS5200: circlip pliers insert 178mm inside-outside (4pcs)
- OS1200: PH-slot diamond screwdriver insert (8pcs)











Le et WINTER

SHOULDER **TOOL BAG**

EG 3110



€VAT Excl. Instead of 49 €VAT Excl.*

Specifications:

- · length: 46cm
- width: 25cm
- height: 28cm
- 15 pockets:

6 parallel inside 12 X 4cm + large storage space 9 outside, including 3 front Velcro pockets 12 x 12cm,

- 3 open pockets on back 14 x 14cm
- 1 right side pocket 14 x 22cm, 2 left side pockets 10 x 14cm

Lockable zip closure with padlock.



WHEELED SUITCASE

EG 3120



€VAT Excl.

Instead of 99 €VAT Excl.*

Specifications::

- length: 50cm
- width: 30cm
- height of retractable handle, folded: 40cm
- unfolded retractable handle height: 100cm

19 pockets:

8 inside, including 1 with Velcro along the length, 1 in aerosol format, 6 in identical format 6 x 12cm, large main storage compartment

11 outside, including 1 with scratch on front 20 x 20cm, and 4 in 10 x 12cm format

3 + 3 lateral (1 8 x 18cm 2 6 x 18cm)



TN

BACKPACK

EG 3130



Specifications::

- height: 50cm
- length: 35cm
- width: 25cm
- external storage: 4 zipped pockets + 1 single pocket + storage slots
- interior storage: 18 pockets + 40 storage slotsheight: 50cm- length: 35cm- width: 25cm- external storage: 4 zipped pockets + 1 single pocket + storage slots- interior storage: 18 pockets + 40 storage slots









1/2" IMPACT WRENCH 620Nm 20V BRUSHLESS + 2 BATTERIES 4Ah + CHARGER

PW 0620

Compatible with Makita batteries Auto stop" mode on loosening: when the bolt is sufficiently loosened, the tool automatically stops in less than a second. Supplied in suitcase



















€VAT Excl.

Instead of 319 €VAT Excl.*



















PW 1080

Compatible with Makita battery «Auto stop" mode on loosening: trigger fully depressed, when the bolt is sufficiently loosened the tool automatically stops in less than a second. Supplied in suitcase













AUTO STOP















€VAT Excl. Instead of 449 €VAT Excl.*





TN

20V BRUSHLESS HAMMER DRILL + 2 BAT 4Ah + CHARGER

PW 2013

Compatible with Makita batteries Supplied in suitcase

























Instead of 379 €VAT Excl.*

ANGLE GRINDER 125mm 20V BRUSHLESS + 2 BATTERIES 4Ah + CHARGER

PW 3125











€VAT Excl.

Instead of 269 €VAT Excl.*



Supplied in transportable case with 2 x 4.0Ah batteries and 2.3A charger

50 cuts autonomy (Ø10mm steel bar)* *[indicative value].













1/2" D. IMPACT WRENCH 1600Nm DOUBLE HAMMER

OP 1522BL

Specifications:

- dual hammer technology
- loosening torque: 1600Nm
- tightening torque: 850Nm
- speed: 8,500 rpm
- connection: 1/4"
- recommended hose Ø: 10mm
- supply pressure: 6.2bar
- consumption: 1701/min
- length: 185mm
- net weight: 2.1kg
- supplied with connector





€VAT Excl.

Instead of 75 €VAT Excl.

















1/2" D. COMPACT IMPACT WRENCH 1200Nm

OP 1523

Specifications:

- dual hammer technology
- loosening torque: 1200Nm
- tightening torque: 550Nm • speed: 12,000 rpm
- connection: 1/4"



- recommended hose Ø: 10mm
- supply pressure: 6.2bar • consumption: 1701/min
- length: 125mm
- net weight: 1.25kg





Instead of 169 €VAT Excl.*

















€VAT Excl.

IMPACT SOCKET 1/2" KIT FOR ALU RIMS (4 PCS)

OM 7036

Set including the essential sleeves for the dismantling of aluminum rims equipped with specific impression

Length: 85mm

Contents:

- 15mm ultra thin specific socket SMART
- OM7016: 17mm specific socket MERCEDES/MAYBACH
- OM7026: 21mm specific socket HYUNDAI/KIA
- SA5021: 22mm specific socket OPEL









TN

IMPACT TWISTED SOCKET SET FOR DAMAGED NUTS Ø6-27mm (15 PCS)

OM 8073

These boxes allow you to extract damaged bolts and remove the wheel anti-theft system when the removal sleeve is lost.

The sleeve's helical shape provides the necessary grip for loosening.





€VAT Excl.

Instead of 192 €VAT Excl.*





TN

WHEEL MOUNTING **GUIDE SET M12-M14**

OM 9320



Insert without screwing Equipped with a plastic ring, they do not damage the threads in the hubs. For wheels with M12 and M14 bolts.









Instead of 69 €VAT Excl.*







SelectionINTER

TORQUE WRENCH

High precision torque wrench in Newton meter, graduated in decimal with precision of 1 in 1.

The wrench also works for reverse pitch torque.

The audible click is easily recognizable when the set value is reached.

The spring-loaded setting ring automatically locks in the desired torque value.

No risk of losing the value during use.

The 72-tooth reversible ratchet allows for a short adjustment, with push-button locking of the sockets.



REF	Square	Tightening torque	Length	Weight	Reading	Price
OM 0795	3/8"	10-60 Nm	295 mm	410 g	0.5 -> 0.5	69 ^{€VAT Excl.} instead of 89 ^{€VAT Excl.} *
OM 0792	1/2"	40-220 Nm	525 mm	1150 g	1 -> 1	79 ^{€VAT Excl.} instead of 99 ^{€VAT Excl.} *



TN

MEASURING TOOLS INSERT (6PCS)

AC 0000

119 €VAT Excl.

Instead of 129 €VAT Excl.*



Specifications:

- Format: 1/3 drawer
- ruler: 150mm
- scribing tip: 146mm
- depth gauge: 200mmsquare: L.100XI.70mm
- caliper: 150mm
- micrometer 0-25mm



THINKCAR T-WAND 100 **DIAGNOSTIC TOOL**

AD000TKTT1





Product available for sale only in France



4 TIRE DEFLATOR SET FOR TPMS VALVES

OM 7090

TE

- 4 plugs indicated: LF (AVG)-RF (AVD)-LR (ARG)-RR (ARD). Permitting:
- -Controlled air release (no valve deterioration)
- -Disassembly aid notes to help with reassembly.

This will avoid reprogramming and using the diagnostic tool.







TPMS TOOL SET

OM 7096

Contents:

- 2pcs 1/4" D. adjustable torque drivers: 0.4-2Nm, 2-10Nm
- 2pces deep sockets 11 and 12mm
- 1pc 1/4" D. T-handle
- 1pc 1/4" D. 100mm extension bar
- 2pcs 1/4" D. Torx bit socket: T10, T20
- 1pc 1/4" D. valve core tool
- 1pc composite TPMS grommet tool L.190mm



Instead of 195 €VAT Excl.*







SelectionINTER

ELECTRIC BRAKE AND CLUTCH BLEEDER 5L 2.5bar

HU 1101

Compact and lightweight. Automatic stop when the level in the can is too low. Automatic bleeding after canister change.

Checks the low pressure brake system for leaks.





Specifications:

- 230V power supply (5m cord)
- equipped with an on/off switch
- equipped with a pressure regulator 0-2.5bar with maintenance of the thrust of the liquid in pulsating flow
- pressure gauge for pressure control
- suitable for clutches and brakes (compatible with ABS, EDS, ESP, SBC systems)
- 5 litre capacity allowing several operations
- interchangeable canister: ensures compatibility of the DOT3/DOT4/DOT5/DOT6 liquid
- flexible L.3.5m
- dimensions: 460x300x320mm
- weight: 10kg



















PNEUMATIC BRAKE CALIPER REWIND SET (22PCS)

OP 4506







Specifications:

- Gun weight: 1.07 kg
- Size : 258x173x97mm
- Working pressure: 7bNoise emission: 64.3 dB
- Vibration emission: 0.876 m/s2



OM 2121

This tool is specially designed to remove and reinstall rigid brake springs smoothly and in security.








€VAT Excl.

CO2 DETECTION

AC 3300





Yellow liquid = cylinder head gasket out of order

- checks for gas combustion in the radiator
- the test fluid changes colour if a leak is detected
- fast identification of defective head gasket









TN



AC 1007





Instead of 137 €VAT Excl.*

Specifications:

- manometer
- hose L.200cm
- stepped male adapter for hoses Ø8mm to 20mm
- conical female adapter for rigid pipes Ø7 to 22mm
- 3 rubbers for female adapter
- 2 caps











SelectivINTER

TIE-ROD ASSEMBLER/REMOVER Ø30-Ø45mm WITH INTERCHANGEABLE HEADS 4PCS

OM 9175

149 €VAT Excl. Instead of 179 €VAT Excl.*

Specifications:

- Ø head 30-35mm: 72mm
- Ø head 35-40mm: 78mm
- head Ø40-45mm: 90mm
- the head is retained in place using screws for greater security
- 1/2" drive + 32mm hexagonal for greater force
- length including head: 410mm (Hollow)
- weight: 2kg











• weight: 70kg

SILENT-BLOCK & BEARING ASSEMBLY/DISASSEMBLY SET

OM 9391BL



€VAT Excl. Instead of 179 €VAT Excl.*





Contents:

- 4 threaded rods with nuts mounted on bearings: M10-M12-M14-M14
- 2 support rings
- socket sets:


46x36, 58x48, 70x60, 82x72, 80x70, 68x58,

56x36, 44x34

74x64, 62x52, 50x40, 60x50, 48x38, 72x62

78x68, 66x56, 54x44, 76x66, 64x54, 52x42







RING PLIERS+4 SHELLS

OM 8024

Locking pliers supplied with 4 sets of interchangeable clamps for tightening the snap ring on the transmission shaft to reinstall the seal (bowl) on the transmission when using the SNR OBK (Outer Boot Kit) and OJK (Outer Joint Kit) types















Suited for splines: Ø23,8mm 29 teeth Ø24,6mm 30 teeth Ø26,97mm 33 teeth Ø28,57mm 35 teeth

These shells cover about 80% of the park.





€VAT Excl.

Instead of 1750 €VAT Excl.*

GENERATION 1+2 RENAULT/PSA TIMING TOOL ROLLER CABINET

OM 9594



OM 6100



OM 6200



OM 6110



OM 6210



OM6110: 1 x complete renault generation 2© timing set.

OM6210: 1 x complete psa generation 2 timing set

OM6100: 1 x complete distribution renault/nissan/opel/volvo generation 1

OM6200: 1 x psa generation 1 complete distribution set

EG0098:1x8-drawer cabinet







Find the products associated with your **engine code** or **OEM code** by entering them in the search bar or clas.com.

Motor code, OEM code





€VAT Excl.

Instead of 3050 €VAT Excl.*

MULTI-BRAND TIMING TOOL TROLLEY **GENERATION 1 + RNLT/PSA GENERATION 2**

OM 9901







OM 6200



OM 6210



OM 6300



CLAS





OM6100: 1 x complete renault/nissan/opel/volvo generation 1 timing set

OM6200: 1 x psa generation 1 complete timing set

OM6300: 1 x complete timing set vag

OM6400: 1 x complete timing set fiat/alfa/lancia/opel/suzuki/ford

OM6500:1x complete timing set opel/chevrolet/saab/fiat/lancia/suzuki/ford

OM6600: 1 x ford/volvo complete timing set

OM6110: 1 x complete timing set renault generation 2©

OM6210: 1 x psa generation 2© complete timing set

EG0098:1x8-drawer workbench





OM 6500



OM 6600





SEAL TOOL KIT 24PCS

OM 5038

This kit allows the SPI seals to be replaced with diameters of Ø21.5 to

Removal: compact puller with unique extracting hooks, quick removal without any damaging.

Installation: the interchangeable seal mandrels mean that the seal can be guided back into place for perfect positioning.

2 pairs of claws L.70 and L.115mm for increased polyvalence.













PSA/FORD AUXILIARY BELT TENSIONER SET

OM 3694







Applications:

Citroën: C1, C2, C3 III, C3 Pluriel, C4 Picasso Ford: B-Max, C-Max, Fiesta, Focus, Focus C-Max, Fusion, Galaxy, Grand

C-Max, Mondeo, S-Max, Tourneo, Transit.

Mazda: 2, 3

Mini: One, Cooper, Clubman

Peugeot: 107, 1007, 206, 206 CC, 206 SW, 307, 307 SW, 508

Toyota: Aygo Volvo: C30, S40, S80, V50, V70

Engines: 1.4, 1.4 TDCI, 1.4 DiD, 1.5 TDCI, 1.6 HDI, 1.6 TDCI, 1.6 16v, 1.6 D4, 2.0

HDI, 2.2 HDI





GLOW PLUG ANALYZER

AC 5300



69 €VAT Excl.

Instead of 95 €VAT Excl.*







${\bf Specifications:}$

- beep alarm to help the user to analyze the glow plug status
- built-in LED light enables the user to work in the darkness
- a backlit LCD makes the analyzer easy to read in all lighting conditions
- auto switch-off helps to conserve battery life if the user forgets to turn it off



VIBRATION GLOW PLUG REMOVAL KIT 1/4"

OP 1404

Allows the glow plugs to be removed in a progressive, controlled and secure manner. Reduces the risk that the electrode may break within the glow plug's housing.



175 €VAT Excl.

Instead of 199 €VAT Excl.*

Contents:

- SA1404: vibration socket 1/4"
- SA1408: vibration socket 8mm
- SA1409: vibration socket 9mmSA1410: vibration socket 10mm
- SA1411: vibration socket 11mm
- SA1412: vibration socket 12mm
- SA1413: vibration extension 50mm
- SA1414: vibration extension 100mm
- SA1415: 1/4" universal joint for vibration socket

4 torque settings: 10-20-30 or 40Nm Drive: 1/4"














ECIMINTER

SPARK PLUG COMPLETE **INSERT (15PCS)**


OM 0415

The perfect complete kit for all your spark plug work.



€VAT Excl.





Contents:

- specific VAG tools (4pcs)
- long spark plug socket 3/8" 12pans, L.250mm 14-16-21mm (3pcs)
- short spark plug socket 3/8" 12pans, L.65mm 14-16-18-21mm (4pcs)
- universal socket 3/8" 12pans 14mm
- torque limiter 3/8" 18Nm-24Nm (2pcs)
- adapter 3/8" F x 3/8" M





TN

DAMAGED GLOW PLUG **EXTRACTION SET M8-M10**

OM 3778

Lets you remove deteriorated or broken

For tapping glow plugs M8-M10 (VW-Audi, Mercedes, Opel, Peugeot, Renault etc.)





Instead of 325 €VAT Excl.*





TN

M8-M9-M10 GLOW PLUG **ELECTRODE EXTRACTION KIT**

OM 3790

Kit to extract the final part of the electrode which is impossible to pull out if it splits or seizes inside the M8, M9 or M10 glow plug seat.

This easy-to-use kit considerably reduces labor hours and cost of labor.

It is also compatible with specific engines equipped with M8 glow plugs with electrodes of the diameter of M10 glow plugs (see specific applications to find the vehicles concerned).



€VAT Excl.

Instead of 429 €VAT Excl.*





€VAT Excl.

Instead of 469 €VAT Excl.*

PETROL COMPRESSION **GAUGE WITH RECORDER**

AC 0100

- High precision easy-to-read large-scale 5-17bar diagram
- Fast connection with no tools required





Supplied with:

- 3 adaptors : M10-M12-M18
- 50 diagrams AC0110
- 6 expandable seals SA 0100 Option to record 8 attempts (+ 2 in reserve)





COMPRESSION MEASURING KIT FOR DIESEL ENGINES

AC 0224

Easy and ready to use, this kit covers 90% of vehicles.

Applications available on request.













SMOKE LEAK DETECTOR

AC 0410



Low-pressure management protects components. Product quality for regular/intensive use.

Specifications:

- power supply: 12V
- output pressure: 1.2 bar for turbo system / 0.05 bar for exhaust system
- flow rate: 8L/min
- smoke control
- mode of operation: air only or smoke
- control manometer
- oil capacity: 50mlmineral oil (included)
- supplied with its accessories
 test fluid 250 ml = 35 hours of use



Contents:

- main unit
- accessory case
- adapter cone
- power cable • smoke distribution pipe
- funnel
- universal adjustable intake bag
- bag replacement rubbertest fluid (250 ml)
- oil filler cap adapter (for most BMW vehicles)
- smoke diffuser
- EVAP system accessory kit (fuel vapour recovery system)
- set of blanking plugs











Miror

TN

STANDARD HEADLIGHT ADJUSTMENT DEVICE

AC 2005BL



Functions:

- control and measurement of the closing mechanism 0-4%
- control of the lateral adjustment ±5cm/10m
- measurement of the illumination intensity O-150klux/1m, O-240lux/25m
- intervention on headlights (xenon, halogen, LED...), anti-fog





Instead of 820 €VAT Excl.*

Specifications:

- mirror type aligner
- digital luxmeter
- alu column (collapsible) graduated from 20 to 150cm
- sliding regulating mechanism
- metal housing with tilt adjustment
- power supply: 9V battery (supplied)
- dimensions: L.712xW.580xH.1810mm



€VAT Excl

DUAL LASER HEADLIGHT ADJUSTMENT DEVICE

AC 2013



Graduation Laser

Specifications:

- laser-type aligner (SA2037) compliant with standard EN 60825
- digital luxmeter
- alu column (collapsible) graduated from 20 to 150cm
- sliding regulating mechanism
- thermoplastic housing with tilt adjustment
- laser aligner power supply: 3 1.5V batteries (supplied)
- dimensions: L.712xW.580xH.1810mm
- UTAC NFR 63801 standard



ec WINTER

2-HANDLE LINE **CUTTER KIT**

OC 1500

A set of 2 handles allows to pull the inserted wire in the joint with the help of a needle.



€VAT Excl.

Instead of 81 €VAT Excl.*

Contents:

- OC4500: hollow leader needle
- OC2100: braided wire reel 0.8mmx0.8mmx44m
- OC2900: pair of grip pull handles



PAIR OF SUCTION CUPS Ø120mm

OC 0600



€VAT Excl.

Instead of 134 €VAT Excl.*

TN

Specifications:

- swappable suction cups to suit various glass shapes
- lever lock
- carrying handle
- capacity: 120kg
- suction cups Ø120mm
- supplied with fast-ratchet sling
- sling length: 5m







TN

DOUBLE SUCTION CUP

OC 0608



Suction strength 60kg Ø160mm large suction cup Ø90mm small suction cup



€VAT Excl.

Instead of 37 €VAT Excl.*





WINDSCREEN REPAIR KIT

OC 2203



€VAT Excl. Instead of 449 €VAT Excl.*





- SA4104: Battery-powered 12V UV lamp
- OC2202: Repair resin 10ml, yellow cap
- OC8064: Finishing resin 10ml, blue cap
- SA4108: 1 polish
- SA4109: 1 suction cup gel
- SA4105: 1 box of UV sheets
- SA4107: 1 inspection glass
- 1 scratching pencil
- SA4106: 1 injector holder
- OC2205x2: injectors
- 1 box of 10 blades
- 1 user's manual





TN

SCRAPER AND UTILITY KNIFE SET

OC 0302



€VAT Excl.

Contents:

- 1 cuter
- 5 straight blades 12mm (OC5301)
- 5 straight blades 16mm (OC5302)
- 5 straight blades 20mm (OC5303) • 5 bevelled blades 16mm (OC5304)
- 5 trapezoidal blades (OC5305)



Instead of 34 €VAT Excl.*

SelectiviNTER

BODYWORK 3 TRAY STORAGE TROLLEY

OC 0711

Allows parts which have been uninstalled to be put away and stored such as headlights, headrests, instrument panels, bumpers...

269 €VAT Excl.

Instead of 299 €VAT Excl.*

Specifications:

- ullet 3 trays (2 wooden and 1 mesh)
- platform height: 260-810-1390mm
- mesh base
- 4 swiveling wheels, 2 of which have brakes
- dimensions: L.630xW.1110xH.1625mm





TN

BUMPER WALL BRACKET

OC 0727





89 €VAT Excl.

Instead of 99 €VAT Excl.*

Specifications:

- length: 1000mm
- width: 500mm
- height: 1500mm





TN

MULTI-POSITION SUPPORT SHOCK ABSORBER

OC 0729





269 €VAT Excl.

Instead of 299 €VAT Excl.*

Specifications:

- length: 1940-2040mm
- width: 300-600mm
- height: 1300mm





ROTATING PAINT RACK 2 RIMS

OC 0728

360° rotating easel for painting wheel rims. Adjustable in width and height from 1100 to 1420mm. For rims from 15" to 22".









€VAT Excl.

Instead of 149 €VAT Excl.*

TN

• width: 600mm • height: 980-1260mm

50

CORDLESS THERMAL STAPLER + 300 STAPLES KIT

OC 6070









adjustable head

















4000mAh Li-ion

Specifications:

- length (without electrode): 220mm
- total length: 255 mm
- width: 35mm
- heating temperature: 600°C
- input current: DC 5V 2A
- output current: 3.7 8A Max battery: 3.7V 4000mAh Li-ion
- charging time : 3H
- capacity 400 staples with battery in one charge (hot stapler)





CO 6072	BOX OF 50 STAPLES M Ø 0.6 MM	7 €VAT Excl. instead of 9 €VAT Excl.*
CO 6073	BOX OF 50 STAPLES V Ø 0.8 MM	7 €VAT Excl. instead of 9 €VAT Excl.*
CO 6074	BOX OF 50 STAPLES S Ø 0.6 MM	7 €VAT Excl. instead of 9 €VAT Excl.*
CO 6075	BOX OF 50 STAPLES S Ø 0.8 MM	7 ^{€VAT Excl.} instead of 9 ^{€VAT Excl.*}
CO 6076	BOX OF 50 STAPLES U Ø 0.6 MM	7 €VAT Excl. instead of 9 €VAT Excl.*
CO 6077	BOX OF 50 STAPLES U Ø 0.8 MM	7 €VAT Excl. instead of 9 €VAT Excl.*



ec WINTER

4T COLLISION REPAIR SET

OC 0803

Contents:

- SA0805: 4T hydraulic ramSA0806: 4T 1/4" hydraulic hand pump
- SA0804: spreader 500kg
- SA0802: hose 1/4"
- bit/support setSA1805: bodywork hydraulic ram 4T extension set





Specifications:

- minimum pusher cylinder travel: 325mm
- maximum pusher cylinder travel: 425mm





10T COLLISION REPAIR SET

OC 0804

High power

€VAT Excl.

Instead of 379 €VAT Excl.*

A must-have tool for automotive and industrial repair work on straightening, handling and lifting.



Contents:

- SA0807: 10T hydraulic ram SA0808: 10T 1/4" hydraulic hand pump
- SA0804: spreader 500kg
- SA0802: hose 1/4' • bit/support set
- SA1815: bodywork hydraulic ram 10T extension set

For SA 1815:

Delivered with a set of 5 sleeved extensions:

- usable length: 546mm (with 590mm nozzle, Ø 30mm sleeve) (x1)
- usable length: 300mm (with 342mm nozzle, \varnothing 30mm sleeve) (x2) usable length: 197mm (with 234mm nozzle, \varnothing 30mm sleeve) (x1)
- usable length: 97mm (with nozzle 140mm, Ø 30mm sleeve) (x1)



LOCK GRIP PLIERS SET (16 PCS)

OM 8069





€VAT Excl. Instead of 155 €VAT Excl.*





Contents:

- OM8082 (x3): lock grip pliers 285mm
- OM8080 (x5): lock grip pliers 225mm
- OM8083 (x3): lock grip pliers 240mm
- OM8081 (x5): lock grip pliers 190mm



HAMMER + BLOCK SET (7 PCS)

OC 0811



€VAT Excl.

Instead of 169 €VAT Excl.*

Essential for all dent removal, straightening and sheet metal work.



3 hammers with GENUINE HICKORY handles L.310mm:

- OC0812: planishing hammer with round flat head and pointed tip
- OC0813: planishing hammer with round flat head straight tip
- \bullet OC0814: cornering hammer with round and square gridded head

4 blocks:

- OC0815: comma 130x27mm
- OC0816: rail/unisersal 60x60x56mm
- OC0817: claw 78x60x27mm
- OC0818: anvil 80x62x55mm



Le et WINTER

REAR PARKING SENSOR PUNCH MASTER TOOL KIT FORD (23 PCS)

OC 9100

090 €VAT Excl. Instead of 1250 €VAT Excl.*





Contents:

- OC 9101 rear parking sensor punch tool kit FORD #01 (4 PCS)
- \bullet OC 9102 rear parking sensor punch tool kit FORD #02 (4 PCS)
- \bullet OC 9103 rear parking sensor punch tool kit FORD #04 (4 PCS)
- OC 9104 rear parking sensor punch tool kit FORD #05 (4 PCS)
- OC 9105 rear parking sensor punch tool kit FORD #08 (4 PCS)
- OC 9106 rear parking sensor punch tool kit FORD #09 (4 PCS)
- OC 9107 rear parking sensor punch tool kit FORD #10 (4 PCS)
- \bullet OC 9108 rear parking sensor punch tool kit FORD #11 (4 PCS)
- OC 9109 rear parking sensor punch tool kit FORD #12 (4 PCS) • OC 9110 rear parking sensor punch tool kit FORD #15 (4 PCS)

REAR PARKING SENSOR PUNCH MASTER TOOL KIT BMW (41 PCS)

OC 9138

Contents:

- ullet punching device/centering pin Ø18.0mm for BMW/Skoda
- punching device/centering pin Ø18.2mm for VW/Seat
- \bullet punching device/centering pin Ø17.8mm for VW/Seat
- punching device/centering pin Ø18.4mm for VW
- punching device/centering pin \varnothing 19mm for FCA
- punching device/centering pin Ø24.0mm for Opel/Vauxhall
- \bullet punching device/centering pin Ø26.0mm for VW/Seat • punching device/centering pin Ø26.7mm for VW/Skoda
- punching device/centering pin Ø27.4mm for Skoda
- punching device/centering pin Ø28.1mm for Skoda
- punching device/centering pin Ø32.0mm for BMW
- punching device Ø32.5mm for BMW (without centering pin because of the oblique mounting position of the PDC sensor)
- punching device Ø38.9mm for VW (PLA) (without centering pin due to slanted mounting position of PLA = park assist)
- 1x 3/8" punch drive with ball bearing
- 1x tip Ø10mm
- 1 rotating head ratchet



Instead of 990 €VAT Excl.*





TN

REAR PARKING SENSOR PUNCH MASTER TOOL KIT VW (24 PCS)

OC 9124





Instead of 550 €VAT Excl.*

- punches: Ø18,2-18,4-26-26,5-26,7-28,1-29,3-38,9mm
- centering tools: Ø17,8-18,2-18,4-26-26,7-28,1mm
- \bullet 1 x 3/8" pulling screw with ball bearing
- 1 x drill bit Ø10mm



5-1 DISPOSABLE PROTECTION **SET (500PCS)**

CO 0426

500 piece 5 in 1 Disposable protector set



€VAT Excl. Instead of 137 €VAT Excl.*





TN

Each 5 in 1 kit includes:

- 1 x seat protector
- 1 x steering wheel protection
- 1 x gearshift protection
- 1 x handbrake protection
- 1 x floor protection

RENOVATION KIT FOR 2 HEADLIGHTS

RP3000

400 mi

Product available for sale only in France

Provides a fast, easy and efficient headlight renovation. No tools or sanding required.

3 pre-saturated wipes allow for a complete renovation of both headlights.

- 2 cleaning wipes (one for each headlight).
- the headlights.



€VAT Excl. Instead of 22 €VAT Excl.*

WARRANTY

• 1 finishing and protective wipe to restore the shine of PLASTIC PRIMARY **BUMPER** SPRAY 400ml CO 1002





